





**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Norstar Petroleum, Inc

**36/10s/35w Thomas KS**

88 Inverness Cir E Unit F104  
Englewood, CO 80112

**WJLH Koons #1-36**

Job Ticket: 43225

**DST#: 3**

ATTN: Bob Elder

Test Start: 2011.11.01 @ 02:47:05

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 61.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.40 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 8400.00 ppm

Filter Cake: 1.00 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
30.00	mcgo 5% m 3% g 92% o	0.148
60.00	gco 5% g 95% o	0.295

Total Length: 90.00 ft      Total Volume: 0.443 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 6668

Outside Norstar Petroleum, Inc

WJLH Koons #1-36

DST Test Number: 3

