



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Sam Gary Jr & Assoc.
1515 Wynkoop, STE 700
Denver, Co 80202
ATTN: Dan Pritchard

1/5s/24w

Neurnburger #2-1

Job Ticket: 58150 **DST#: 1**

Test Start: 2014.06.25 @ 00:00:00


GENERAL INFORMATION:

Formation: **TRNT**
Deviated: No Whipstock: ft (KB)
Time Tool Opened:
Time Test Ended:
Interval: 3430.00 ft (KB) To 3454.00 ft (KB) (TVD)
Total Depth: 3454.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole (Initial)
Tester: Brandon Quintana
Unit No: Truck and Trailer
Reference Elevations: 2339.00 ft (KB)
2331.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 8874

Press @ Run Depth: psig @ ft (KB) Capacity: 8000.00 psig
Start Date: 2014.06.25 End Date: 2014.06.25 Last Calib.: 2014.06.25
Start Time: 10:56:00 End Time: 13:36:30 Time On Btm:
Time Off Btm:

TEST COMMENT: MISRUN



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Sam Gary Jr & Assoc.

1/5s/24w

1515 Wynkoop, STE 700
Denver, Co 80202

Neurnburger #2-1

Job Ticket: 58150

DST#: 1

ATTN: Dan Pritchard

Test Start: 2014.06.25 @ 00:00:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 8.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 47.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.38 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl

Total Length:

ft

Total Volume:

bbbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

