



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Concorde Resources Corp

19/15s/33w Logan KS

111 S Main St.
PO Box 841
Eufaula, OK 74432
ATTN: Larry Nicholson

McDaniel #1A-19

Job Ticket: 64096

DST#: 3

Test Start: 2018.10.01 @ 22:35:00

GENERAL INFORMATION:

Formation: **Myrick - Cherokee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:49:30

Time Test Ended: 05:11:30

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 83

Interval: 4385.00 ft (KB) To 4461.00 ft (KB) (TVD)

Reference Elevations: 2952.00 ft (KB)

Total Depth: 4461.00 ft (KB) (TVD)

2946.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 6.00 ft

Serial #: 8652 Outside

Press@RunDepth: 22.38 psig @ 4386.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2018.10.01 End Date: 2018.10.02

Last Calib.: 2018.10.02

Start Time: 22:35:05 End Time: 05:11:29

Time On Btm: 2018.10.02 @ 00:49:15

Time Off Btm: 2018.10.02 @ 02:58:45


TEST COMMENT: 30 - IF: Blow built to 1/4"

35 - IS: No blow back

30 - FF: No blow

30 - FS: No blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2246.96	104.92	Initial Hydro-static
1	19.37	103.26	Open To Flow (1)
31	21.79	105.20	Shut-In(1)
65	121.17	106.05	End Shut-In(1)
65	20.74	106.03	Open To Flow (2)
95	22.38	106.86	Shut-In(2)
129	91.68	107.59	End Shut-In(2)
130	2189.15	108.42	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
2.00	Mud w /Oil spots 98%m, 2%o	0.01

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Concorde Resources Corp

19/15s/33w Logan KS

111 S Main St.
PO Box 841
Eufaula, OK 74432
ATTN: Larry Nicholson

McDaniel #1A-19

Job Ticket: 64096 **DST#: 3**
Test Start: 2018.10.01 @ 22:35:00

GENERAL INFORMATION:

Formation: **Myrick - Cherokee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:49:30

Time Test Ended: 05:11:30

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 83

Interval: 4385.00 ft (KB) To 4461.00 ft (KB) (TVD)

Reference Elevations: 2952.00 ft (KB)

Total Depth: 4461.00 ft (KB) (TVD)

2946.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 6.00 ft

Serial #: 6625 Inside

Press@RunDepth: psig @ 4386.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2018.10.01 End Date: 2018.10.02

Last Calib.: 2018.10.02

Start Time: 22:35:05 End Time: 05:11:59

Time On Btm:


Time Off Btm:

TEST COMMENT: 30 - IF: Blow built to 1/4"

35 - ISI: No blow back

30 - FF: No blow

30 - FS: No blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
2.00	Mud w /Oil spots 98% ^m , 2% ^o	0.01

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Concorde Resources Corp

19/15s/33w Logan KS

111 S Main St.
PO Box 841
Eufaula, OK 74432
ATTN: Larry Nicholson

McDaniel #1A-19

Job Ticket: 64096

DST#: 3

Test Start: 2018.10.01 @ 22:35:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 54.00 sec/qt
Water Loss: 8.79 in³
Resistivity: ohm.m
Salinity: 5000.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: deg API
Water Salinity: ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
2.00	Mud w /Oil spots 98% _m , 2% _o	0.010

Total Length: 2.00 ft Total Volume: 0.010 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



Serial #: 6625

Inside

Concorde Resources Corp

McDaniel #1A-19

DST Test Number: 3

