Facility Well Name Northern (Mullinville) #1 **UIC Permit #** KS-01-097-001 **Month** June **Year** 2019

Submitted 07/18/2019 **Approved** 08/15/2019 **KOLAR Document ID** 1466167

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 23

Barrels per Day Maximum: 2,381

			Annulus Pressure psig min 40		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	256	0.22	70	69	-26.1	-24.7	0
Monthly Maximum	1,476	2.21	71	71	-25.0	-24.0	0
Monthly Minimum	0	0.00	69	69	-27.0	-26.0	0
Monthly Total	7,667						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
71.00	69.00	-24.00	-25.00

Comments:

Northern (Mullinville) #1 06/2019

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	07:35	142.86	0.00	71	71.0	-26	-25.0	45	N/A	0	GBS		
2	08:05	309.52	0.00	70	69.0	-26	-25.0	45	N/A	0	GBS		
3	09:25	0.00	0.00	70	69.0	-27	-25.0	45	N/A	0	GBS		
4	08:15	142.86	0.00	70	70.0	-26	-25.0	45	N/A	0	GBS		
5	08:15	0.00	0.00	69	69.0	-26	-25.0	48	N/A	0	JN		
6	09:20	333.33	0.00	70	69.0	-26	-24.0	47	N/A	0	JN		
7	09:00	142.86	0.00	70	69.0	-26	-24.0	47	N/A	0	JN		
8	08:50	166.67	0.00	71	70.0	-26	-25.0	43	N/A	0	JN		
9	08:20	333.33	0.00	70	69.0	-26	-25.0	47	N/A	0	JN		
10	16:00	0.00	0.00	70	70.0	-26	-25.0	46	N/A	0	AT		
11	15:00	47.62	2.10	70	69.0	-26	-25.0	49	N/A	0	JN		
12	10:30	261.90	0.00	70	70.0	-26	-25.0	46	N/A	0	AT		
13	09:23	23.81	2.21	70	69.0	-26	-25.0	47	N/A	0	RFS		
14	08:30	642.86	0.00	71	70.0	-25	-25.0	46	N/A	0	AT		
15	08:00	142.86	0.00	70	69.0	-26	-25.0	46	N/A	0	KBG		
16	08:30	0.00	0.00	70	69.0	-27	-26.0	47	N/A	0	KBG		
17	10:20	500.00	0.00	70	70.0	-25	-24.0	46	N/A	0	AT		
18	08:45	142.86	0.00	70	69.0	-26	-24.0	47	N/A	0	KBG		
19	11:05	23.81	2.14	70	69.0	-26	-25.0	46	N/A	0	RFS		
20	10:25	0.00	0.00	70	69.0	-26	-25.0	48	N/A	0	GDJ		
21	15:20	500.00	0.00	70	70.0	-26	-24.0	44	N/A	0	GDJ		
22	08:45	380.95	0.00	70	70.0	-27	-25.0	45	N/A	0	GDJ		
23	06:00	0.00	0.00	70	69.0	-26	-25.0	48	N/A	0	GDJ		
24	17:30	166.67	0.00	70	70.0	-27	-24.0	44	N/A	0	GDJ		
25	15:15	309.52	0.00	70	70.0	-26	-25.0	46	N/A	0	GDJ		
26	11:15	0.00	0.00	70	69.0	-27	-25.0	48	N/A	0	JN		
27	19:00	880.95	0.00	71	70.0	-26	-24.0	44	N/A	0	JN		
28	11:30	357.14	0.00	70	70.0	-25	-24.0	45	N/A	0	JN		
29	09:45	238.10	0.00	70	69.0	-26	-25.0	47	N/A	0	JN		
30	08:35	1,476.19	0.00	70	69.0	-26	-24.0	42	N/A	0	JN		

Northern (Mullinville) #1 06/2019

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	69.50	06/07/2019	9.10	06/07/2019	N/A				
2	70.70	06/13/2019	8.10	06/13/2019	N/A				
3	74.00	06/19/2019	7.10	06/19/2019	N/A				
4	86.00	06/27/2019	8.00	06/27/2019	N/A				
					N/A				

No monthly injectate samples required.

Northern (Mullinville) #1 06/2019

Quarterly Injectate Samples

Quarter 2
Date Sample Collected 05/15/2019
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Chloride	89.300	mg/l
Iron	564.000	mg/l
Magnesium	22,200.000	mg/l
Total Dissolved Solids	497.000	mg/l
Total Alkalinity as CaCO3	33.100	mg/l (as CaCO3)
Total Hardness as CaCO3	497.000	mg/l (as CaCO3)
Conductivity	1,360.000	Mmhos