Facility Well Name Kansas Ethanol #5 **UIC Permit #** KS-01-159-007 **Month** July **Year** 2019

Submitted 08/07/2019 **Approved** 09/01/2019 **KOLAR Document ID** 1468042

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 31

Barrels per Day Maximum: 13,714

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	8,632	5.88	66	70	-14.7	-11.9	
Monthly Maximum	11,262	7.67	69	72	-9.0	-7.1	
Monthly Minimum	4,095	0.00	61	66	-27.0	-21.6	
Monthly Total	267,595						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
74.20	65.70	-6.50	-21.70

Comments:

Kansas Ethanol #5 07/2019

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Conduc-tivity	
1	09:45	11,261.90	7.29	68	71.9	-9	-7.1	13	N/A		BF	1,004.00	
2	08:15	9,738.10	7.33	68	71.7	-9	-7.2	13	N/A		BF	1,061.00	
3	07:45	10,095.24	7.31	68	71.6	-9	-7.1	13	N/A		BF	964.00	
4	08:10	10,523.81	7.33	67	71.0	-9	-7.2	13	N/A		PH	858.00	
5	07:40	10,190.48	7.31	68	71.5	-9	-7.1	13	N/A		SF	883.00	
6	08:10	10,571.43	7.31	67	71.4	-9	-7.2	13	N/A		DW	992.00	
7	08:45	10,571.43	7.45	67	70.6	-10	-7.4	13	N/A		LH	890.00	
8	09:45	10,714.29	7.33	67	71.3	-9	-7.1	13	N/A		BF	906.00	
9	08:45	9,952.38	7.38	67	70.8	-9	-7.2	13	N/A		BF	1,047.00	
10	08:30	10,380.95	7.38	67	71.3	-9	-7.2	13	N/A		BF	1,068.00	
11	10:30	11,023.81	7.36	67	70.8	-9	-7.1	14	N/A		BF	855.00	
12	08:00	9,285.71	7.36	67	70.6	-9	-7.1	14	N/A		BF	983.00	
13	09:00	11,095.24	7.38	67	70.5	-9	-7.2	14	N/A		AT	1,012.00	
14	08:30	9,666.67	7.67	67	70.7	-9	-7.8	14	N/A		AT	983.00	
15	08:00	10,142.86	7.40	67	71.3	-9	-7.1	14	N/A		BF	1,044.00	
16	10:00	11,214.29	7.40	67	70.9	-9	-7.2	14	N/A		BF	1,140.00	
17	09:00	10,095.24	7.43	67	70.9	-9	-7.1	14	N/A		BF	894.00	
18	08:45	10,404.76	7.43	67	70.9	-9	-7.1	14	N/A		BF	991.00	
19	08:30	10,404.76	5.71	66	70.5	-19	-14.4	14	N/A		BF	888.00	
20	09:15	8,238.10	5.67	66	69.9	-17	-14.5	14	N/A		AC	1,225.00	
21	08:00	7,142.86	5.71	69	70.0	-17	-14.5	14	N/A		AC	1,227.00	
22	08:30	7,714.29	4.05	61	68.0	-22	-18.5	14	N/A		BF	1,112.00	
23	08:00	5,595.24	4.05	64	66.4	-23	-19.1	13	N/A		BF	1,341.00	
24	02:00	7,190.48	4.02	64	67.7	-23	-18.4	13	N/A		AJR	1,494.00	
25	08:15	4,357.14	4.07	64	66.2	-23	-18.7	13	N/A		BF	1,398.00	
26	09:00	5,857.14	4.05	64	66.3	-23	-18.7	13	N/A		BF	1,300.00	
27	08:30	5,571.43	0.00	62	66.2	-25	-21.6	13	N/A		CP/AT	1,377.00	
28	08:45	4,880.95	4.02	64	66.4	-27	-21.3	13	N/A		CP	1,340.00	
29	08:30	4,095.24	0.00	63	66.5	-27	-21.3	14	N/A		BF	1,366.00	
30	09:00	4,785.71	4.10	63	65.8	-23	-18.7	14	N/A		BF	1,321.00	
31	08:45	4,833.33	4.05	63	65.8	-23	-18.5	14	N/A		BF	1,384.00	

Kansas Ethanol #5 07/2019

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	74.84	07/03/2019	8.46	07/03/2019	155.0	07/03/2019	07/09/2019		
2	74.30	07/10/2019	8.17	07/10/2019	194.0	07/10/2019	07/12/2019		
3	75.38	07/17/2019	7.95	07/17/2019	275.0	07/17/2019	07/22/2019		
4	68.18	07/24/2019	7.72	07/24/2019	330.0	07/24/2019	07/26/2019		
5	74.60	07/31/2019	7.46	07/31/2019	700.0	07/31/2019	08/02/2019		

No monthly injectate samples required.

Kansas Ethanol #5 07/2019

Quarterly Injectate Samples

Quarter 3
Date Sample Collected 07/10/2019
Kansas Lab Certificate Number E-10152
Lab Name SDK Laboratories (Hutchinson)

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	179.000	mg/l
Iron	0.193	mg/l
Magnesium	32.200	mg/l
Sulfate	135.000	mg/l
Total Alkalinity as CaCO3	424.000	mg/l
Total Dissolved Solids	1,210.000	mg/l
Total Hardness as CaCO3	580.000	mg/l