



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Brito Oil Company, Inc.

2-15S-26W Gove, KS

8100 E. 22nd St. N
Ste. 600-R
Wichita, KS 67226
ATTN: Robert Hendrix

Albin Unit #1-2

Job Ticket: 64493

DST#: 6

Test Start: 2019.09.13 @ 12:36:59

GENERAL INFORMATION:

Formation: **Ft. Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 14:22:05

Time Test Ended: 17:13:20

Test Type: Conventional Straddle (Reset)

Tester: Brannan Lonsdale

Unit No: 73

Interval: 4125.00 ft (KB) To 4164.00 ft (KB) (TVD)

Total Depth: 4329.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2307.00 ft (KB)

2297.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 6771

Inside

Press@RunDepth: 17.62 psig @ 4126.00 ft (KB)

Start Date: 2019.09.13

End Date: 2019.09.13

Start Time: 12:37:00

End Time: 17:13:20

Capacity: 8000.00 psig


Last Calib.: 2019.09.13

Time On Btm: 2019.09.13 @ 14:21:50

Time Off Btm: 2019.09.13 @ 15:29:50

TEST COMMENT: 30- IF- 0.25" blow
30- IS- No blow
05- FF- No blow Pulled tool

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2126.03	105.26	Initial Hydro-static
1	14.20	104.73	Open To Flow (1)
29	17.62	110.26	Shut-In(1)
61	832.68	113.65	End Shut-In(1)
62	16.23	113.47	Open To Flow (2)
67	17.80	113.52	Shut-In(2)
68	2069.46	114.31	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	M	0.14

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Brito Oil Company, Inc.

2-15S-26W Gove, KS

8100 E. 22nd St. N
Ste. 600-R
Wichita, KS 67226
ATTN: Robert Hendrix

Albin Unit #1-2

Job Ticket: 64493

DST#: 6

Test Start: 2019.09.13 @ 12:36:59

GENERAL INFORMATION:

Formation: **Ft. Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 14:22:05

Time Test Ended: 17:13:20

Test Type: Conventional Straddle (Reset)

Tester: Brannan Lonsdale

Unit No: 73

Interval: 4125.00 ft (KB) To 4164.00 ft (KB) (TVD)

Reference Elevations: 2307.00 ft (KB)

Total Depth: 4329.00 ft (KB) (TVD)

2297.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 10.00 ft

Serial #: 8700 Outside

Press@RunDepth: psig @ 4126.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2019.09.13

End Date:

2019.09.13

Last Calib.:

2019.09.13

Start Time: 12:36:12


End Time:

17:12:32

Time On Btm:

Time Off Btm:

TEST COMMENT: 30- IF- 0.25" blow
30- IS- No blow
05- FF- No blow Pulled tool



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
10.00	M	0.14

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Brito Oil Company, Inc.

2-15S-26W Gove, KS

8100 E. 22nd St. N
Ste. 600-R
Wichita, KS 67226
ATTN: Robert Hendrix

Albin Unit #1-2

Job Ticket: 64493

DST#: 6

Test Start: 2019.09.13 @ 12:36:59

GENERAL INFORMATION:

Formation: **Ft. Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 14:22:05

Time Test Ended: 17:13:20

Test Type: Conventional Straddle (Reset)

Tester: Brannan Lonsdale

Unit No: 73

Interval: 4125.00 ft (KB) To 4164.00 ft (KB) (TVD)

Total Depth: 4329.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2307.00 ft (KB)

2297.00 ft (CF)

KB to GR/CF: 10.00 ft

Serial #: 8367 Below (Straddle)

Press@RunDepth: psig @ 4167.00 ft (KB)

Start Date: 2019.09.13

End Date:

2019.09.13

Start Time: 12:36:31

End Time:

17:12:51

Capacity: 8000.00 psig

Last Calib.:


2019.09.13

Time On Btm:

Time Off Btm:

TEST COMMENT: 30- IF- 0.25" blow
30- IS- No blow
05- FF- No blow Pulled tool

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
10.00	M	0.14

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Brito Oil Company, Inc.

2-15S-26W Gove, KS

8100 E. 22nd St. N
Ste. 600-R
Wichita, KS 67226
ATTN: Robert Hendrix

Albin Unit #1-2

Job Ticket: 64493

DST#: 6

Test Start: 2019.09.13 @ 12:36:59

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 57.00 sec/qt

Water Loss: 7.80 in³

Resistivity: ohm.m

Salinity: 4800.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API:

Water Salinity: deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	M	0.142

Total Length: 10.00 ft Total Volume: 0.142 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time

