Facility Well Name ETP (Regency) #1 **UIC Permit #** KS-01-093-001 **Month** November **Year** 2019

Submitted 12/26/2019 **Approved** 01/02/2020 **KOLAR Document ID** 1484487

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 0

Barrels per Day Maximum: 1,429

			Annulus Pressure psig min 50		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	0	0.00	67	65	0.2	0.0	0
Monthly Maximum	0	0.00	70	69	1.0	1.6	0
Monthly Minimum	0	0.00	63	61	0.0	-0.5	0
Monthly Total	0						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
97.41	66.81	1.25	-1.53

Comments:

ETP (Regency) #1 11/2019

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	06:22	0.00	0.00	66	64.7	0	0.7	15	0	0	MLJ		
2	10:27	0.00	0.00	65	64.0	1	1.1	15	0	0	CS		
3	10:37	0.00	0.00	67	66.0	1	0.8	15	0	0	CS		
4	06:14	0.00	0.00	68	66.6	0	-0.1	15	0	0	MLJ		
5	06:24	0.00	0.00	67	65.3	0	-0.2	15	0	0	MLJ		
6	06:25	0.00	0.00	68	66.1	0	-0.1	15	0	0	MLJ		
7	06:16	0.00	0.00	65	63.7	0	-0.3	15	0	0	MLJ		
8	06:21	0.00	0.00	66	64.7	0	-0.4	15	0	0	MLJ		
9	12:43	0.00	0.00	70	68.6	0	-0.2	15	0	0	MP		
10	12:06	0.00	0.00	68	68.1	0	-0.2	15	0	0	MP		
11	06:20	0.00	0.00	64	62.3	0	-0.4	15	0	0	MLJ		
12	06:18	0.00	0.00	63	61.3	0	1.6	15	0	0	MLJ		
13	06:18	0.00	0.00	66	65.6	1	1.0	15	0	0	MLJ		
14	06:20	0.00	0.00	67	65.1	0	0.7	15	0	0	MLJ		
15	07:20	0.00	0.00	66	64.8	0	-0.5	15	0	0	DF		
16	11:45	0.00	0.00	68	67.3	1	-0.1	15	0	0	JC		
17	15:42	0.00	0.00	70	68.4	1	-0.2	15	0	0	JC		
18	06:15	0.00	0.00	68	66.2	0	-0.4	15	0	0	MLJ		
19	06:31	0.00	0.00	68	66.4	0	-0.3	15	0	0	MLJ		
20	06:57	0.00	0.00	69	67.1	0	-0.5	15	0	0	DF		
21	07:35	0.00	0.00	66	64.3	0	-0.2	15	0	0	DF		
22	06:31	0.00	0.00	66	64.8	0	-0.2	15	0	0	MLJ		
23	10:54	0.00	0.00	65	64.2	0	-0.3	15	0	0	GN		
24	08:45	0.00	0.00	65	64.2	0	-0.2	15	0	0	GN		
25	06:16	0.00	0.00	68	65.8	0	-0.2	15	0	0	MLJ		
26	06:26	0.00	0.00	66	64.6	0	-0.1	15	0	0	MLJ		
27	06:11	0.00	0.00	64	62.1	0	0.5	15	0	0	MLJ		
28	07:30	0.00	0.00	66	64.0	0	0.0	1	0	0	DF		
29	07:54	0.00	0.00	66	65.1	0	0.0	1	0	0	DF		
30	08:43	0.00	0.00	66	64.6	0	0.0	0	0	0	DF		
31													