Facility Well Name ONEOK (Bushton) #6 **UIC Permit #** KS-01-053-005 **Month** January **Year** 2020

Submitted 02/20/2020 **Approved** 02/21/2020 **KOLAR Document ID** 1502025

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 31

Barrels per Day Maximum: 30,952

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	14,769	10.26	79	79	-28.5	-29.4	0
Monthly Maximum	17,554	12.19	85	85	-28.0	-28.9	0
Monthly Minimum	12,935	8.98	71	70	-29.0	-29.6	0
Monthly Total	457,827						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
88.72	69.89	-28.9	-29.6

Comments:

The minimum (and maximum) injection pressure data submitted in the report has been verified. The minor decimal differential is due to brief seconds of delay in the priorities on the communications system.

ONEOK (Bushton) #6 01/2020

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	06:38	16,031.21	11.14	81	80.3	-29	-29.3	20		0	TS		
2	06:42	16,740.93	11.62	84	83.4	-28	-29.3	20		0	HM		
3	05:38	17,553.52	12.19	80	80.5	-28	-29.1	20		0	WW		
4	06:08	15,481.02	10.76	81	80.9	-28	-29.4	20		0	HM		
5	06:46	17,164.88	11.93	83	82.7	-29	-29.4	20		0	KK		
6	06:12	16,782.67	11.64	82	81.1	-29	-29.4	20		0	WW		
7	06:02	16,363.76	11.36	82	81.0	-29	-29.3	20		0	CK		
8	05:47	15,282.90	10.62	82	81.1	-28	-29.3	20		0	WW		
9	05:48	16,385.29	11.38	85	84.9	-29	-29.4	20		0	JE		
10	05:49	16,941.83	11.76	81	81.3	-29	-29.4	20		0	JE		
11	06:42	15,715.50	10.90	81	81.2	-29	-29.3	20		0	JE		
12	06:18	15,531.57	10.79	81	81.5	-29	-29.4	20		0	JE		
13	05:49	13,964.79	9.69	81	81.7	-29	-29.3	20		0	JE		
14	05:51	13,998.00	9.71	82	82.6	-29	-29.4	20		0	JE		
15	05:43	13,044.07	9.05	82	83.6	-29	-29.3	20		0	JE		
16	06:05	12,935.00	8.98	82	82.6	-29	-29.4	20		0	JE		
17	06:37	13,978.14	9.71	82	82.7	-29	-29.4	20		0	JE		
18	07:55	14,173.93	9.83	81	81.6	-29	-29.6	20		0	JE		
19	06:06	13,410.24	9.31	80	80.8	-28	-28.9	20		0	TS		
20	06:14	13,528.00	9.40	79	78.8	-28	-29.4	20		0	TS		
21	06:51	13,224.93	9.19	72	70.9	-28	-29.5	20		0	TS		
22	06:40	14,379.14	9.98	73	72.9	-28	-29.5	20		0	TS		
23	06:36	14,623.57	10.17	72	72.3	-28	-29.4	20		0	JE		
24	06:11	13,261.38	9.21	71	70.2	-28	-29.3	20		0	JE		
25	06:07	13,643.02	9.48	75	76.4	-28	-29.4	20		0	JE		
26	05:55	13,266.95	9.21	75	76.1	-28	-29.4	20		0	JE		
27	05:46	14,001.52	9.71	77	77.5	-28	-29.5	20		0	JE		
28	06:00	14,044.07	9.76	75	75.5	-28	-29.4	20		0	JE		
29	05:56	14,016.74	9.74	75	75.1	-28	-29.3	20		0	JE		
30	05:34	13,873.45	9.64	75	75.6	-28	-29.4	20		0	JI		
31	06:04	14,484.67	10.05	76	75.6	-28	-29.4	20		0	JI		

ONEOK (Bushton) #6 01/2020

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	61.50	12/29/2019	6.42	12/29/2019	93,400.0	12/29/2019	01/16/2020		
2	63.90	01/05/2020	6.86	01/05/2020	65,400.0	01/05/2020	01/10/2020		
3	59.10	01/12/2020	6.60	01/12/2020	74,300.0	01/12/2020	01/17/2020		
4	56.60	01/19/2020	6.42	01/19/2020	89,400.0	01/19/2020	01/24/2020		
5	61.70	01/26/2020	6.50	01/26/2020	92,200.0	01/26/2020	02/04/2020		

No monthly injectate samples required.