Facility Well Name Williams (Mitchell) #2 **UIC Permit #** KS-01-159-008 **Month** February **Year** 2020

Submitted 03/20/2020 **Approved** 03/20/2020 **KOLAR Document ID** 1510623

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 29

Barrels per Day Maximum: 47,619

			Annulus Pressure psig min 50		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	12,612	8.76	91	91	-23.3	-24.1	0
Monthly Maximum	17,764	12.33	96	96	-15.0	-23.1	0
Monthly Minimum	8,814	6.12	85	85	-25.0	-25.0	0
Monthly Total	365,760						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
101.72	84.31	-20.88	-25.81

Comments:

Williams (Mitchell) #2 02/2020

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Meter Reading	
1	09:30	12,969.05	9.00	91	91.8	-15	-24.5	31	N/A	0	BJ		
2	09:50	14,154.76	9.83	94	94.2	-24	-24.0	31	N/A	0	BJ		
3	08:34	14,345.24	9.95	90	91.0	-20	-24.0	30	N/A	0	CC		
4	08:15	13,723.81	9.52	88	88.0	-23	-23.2	30	N/A	0	LB		
5	08:16	14,604.76	10.14	88	87.5	-25	-24.9	30	N/A	0	CC		
6	12:23	14,730.95	10.24	92	92.0	-21	-24.0	30	N/A	0	CC		
7	07:49	11,938.10	8.29	89	89.5	-22	-23.1	30	N/A	0	CC		
8	13:23	17,764.29	12.33	93	93.1	-25	-24.1	31	N/A	0	MY		
9	12:38	14,116.67	9.81	92	92.5	-24	-23.3	31	N/A	0	MY		
10	08:33	12,002.38	8.33	88	88.0	-20	-23.9	31	N/A	0	CC		
11	08:45	14,585.71	10.12	90	90.0	-24	-24.0	31	N/A	0	CC		
12	08:55	10,790.48	7.50	89	89.0	-24	-24.0	30	N/A	0	CC		
13	08:20	8,814.29	6.12	85	85.0	-25		29	N/A	0	CC		
14	08:23	9,466.67	6.57	87	87.0			29	N/A	0	LB		
15	07:38	8,985.71	6.24	91	91.3	-24	-24.5	29	N/A	0	LB		
16	08:16	9,776.19	6.79	92	91.9	-25	-24.4	30	N/A	0	LB		
17	09:13	9,847.62	6.83	95	94.6	-24	-24.3	30	N/A	0	LB		
18	12:30	12,016.67	8.33	95	94.7	-24	-23.6	31	N/A	0	BJ		
19	10:30	11,819.05	8.21	95	93.7	-22	-25.0	30	N/A	0	BJ		
20	09:40	11,169.05	7.76	89	89.2	-24	-23.9	30	N/A	0	BJ		
21	08:10	12,285.71	8.52	89	89.0	-24	-24.0	30	N/A	0	DF		
22	09:00	13,480.95	9.36	93	93.0	-24	-24.0	30	N/A	0	DF		
23	08:00	12,585.71	8.74	95	95.0	-25	-25.0	37	N/A	0	DF		
24	10:28	14,628.57	10.17	95	94.9	-22	-23.8	31	N/A	0	MY		
25	07:36	11,611.90	8.07	93	93.0	-24	-24.0	30	N/A	0	CC		
26	08:32	13,716.67	9.52	90	90.0	-25	-24.1	30	N/A	0	CC		
27	08:09	13,011.90	9.05	91	91.7	-25	-23.9	30	N/A	0	CC		
28	09:40	14,104.76	9.79	94	94.2	-24	-24.0	30	N/A	0	BJ		
29	09:20	12,711.90	8.83	96	96.0	-24	-23.8	30	N/A	0	BJ		
30													
31													

Williams (Mitchell) #2 02/2020

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	63.20	02/07/2020	6.46	02/07/2020	128,700.0	02/07/2020	03/03/2020		
2	62.80	02/14/2020	6.51	02/14/2020	127,400.0	02/14/2020	03/03/2020		
3	64.00	02/21/2020	6.70	02/21/2020	130,000.0	02/21/2020	03/03/2020		
4	62.90	02/28/2020	6.55	02/28/2020	122,500.0	02/28/2020	03/03/2020		
5									

No monthly injectate samples required.