Facility Well Name Northern (Cunningham) #2 **UIC Permit #** KS-05-151-002 **Month** February **Year** 2020

Submitted 03/19/2020 **Approved** 03/20/2020 **KOLAR Document ID** 1510547

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 29

Barrels per Day Maximum: 4,000

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	1,191	1.50	102	101	-21.8	-23.4	0
Monthly Maximum	1,373	1.81	111	110	-15.0	-17.0	0
Monthly Minimum	719	1.24	96	96	-24.0	-24.9	0
Monthly Total	34,553						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
111.00	93.80	-0.76	-29.30

Comments:

Northern (Cunningham) #2 02/2020

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	07:15	959.05	1.60	105	103.4	-22	-24.0	15		0	KS		
2	07:30	719.45	1.24	110	108.4	-15	-17.0	17		0	KS		
3	09:35	835.86	1.43	110	102.9	-23	-24.6	16		0	GH		
4	09:00	1,373.45	1.43	111	109.9	-22	-23.5	17		0	GH		
5	08:15	1,364.19	1.40	111	109.9	-22	-24.5	18		0	GH		
6	08:00	1,340.02	1.55	110	108.3	-22	-24.6	18		0	GH		
7	08:00	1,321.81	1.55	109	106.9	-22	-23.5	19		0	GH		
8	08:15	1,299.81	1.55	109	105.5	-22	-23.8	19		0	GH		
9	07:00	1,276.71	1.55	105	103.3	-22	-24.4	19		0	GH		
10	08:15	1,263.57	1.48	103	101.2	-22	-23.7	18		0	LF		
11	08:00	1,257.60	1.48	101	99.4	-23	-24.1	18		0	LF		
12	08:30	1,252.00	1.48	100	98.0	-18	-19.6	19		0	LF		
13	08:45	1,253.62	1.50	97	95.6	-22	-23.1	18		0	LF		
14	07:50	1,235.07	1.50	97	95.5	-22	-23.8	18		0	LF		
15	08:00	1,224.31	1.43	98	96.3	-20	-21.4	18		0	LF		
16	09:00	1,211.83	1.52	97	95.9	-22	-23.6	18		0	LF		
17	13:10	1,198.12	1.43	98	96.7	-23	-23.5	18		0	WV		
18	09:20	1,193.64	1.50	98	97.8	-23	-24.9	18		0	WV		
19	09:10	1,187.40	1.52	97	96.1	-21	-23.4	18		0	WV		
20	09:05	1,176.74	1.81	97	95.8	-24	-23.8	18		0	WV		
21	09:00	1,170.43	1.48	97	95.6	-22	-24.3	18		0	WV		
22	08:45	1,158.07	1.50	97	95.8	-23	-24.6	18		0	WV		
23	09:15	1,141.90	1.45	96	96.1	-22	-23.8	18		0	WV		
24	08:20	1,135.00	1.48	97	95.6	-22	-23.5	18		0	GH		
25	07:55	1,125.57	1.50	97	95.6	-22	-23.7	18		0	GH		
26	09:45	903.29	1.50	105	103.5	-23	-24.6	17		0	GH		
27	08:25	1,326.81	1.48	107	105.9	-21	-22.9	18		0	GH		
28	08:15	1,329.90	1.50	107	105.4	-22	-23.8	19		0	GH		
29	07:45	1,317.40	1.60	106	104.6	-22	-23.7	19		0	LF		
30													
31													

Northern (Cunningham) #2 02/2020

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	58.50	02/03/2020	6.70	02/03/2020	N/A				
2	72.00	02/10/2020	6.40	02/10/2020	N/A				
3	85.00	02/17/2020	6.30	02/17/2020	N/A				
4	82.00	02/24/2020	6.40	02/24/2020	N/A				
5					N/A				

No monthly injectate samples required.

Northern (Cunningham) #2 02/2020

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 01/20/2020
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	2,020.000	mg/l
Chloride	30,100.000	mg/l
Conductivity	69.900	Mmhos
Magnesium	499.000	mg/l
Sodium	15,200.000	mg/l
Sulfate	2,220.000	mg/l
Total Alkalinity as CaCO3	294.000	mg/l
Total Dissolved Solids	41,000.000	mg/l
Total Suspended Solids	43.600	mg/l