

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD
 Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| | |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

| | | | | |
|---|--|---------|-------------|-----------------------|
| Date of first Production/Injection or Resumed Production/Injection: | Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____ | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio Gravity |

| | | |
|---|---|------------------------------------|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> | PRODUCTION INTERVAL: Top Bottom |
|---|---|------------------------------------|

| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i> |
|----------------|-----------------|--------------------|------------------|--------------------|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | |
|----------------|-------|---------|------------|--|
| TUBING RECORD: | Size: | Set At: | Packer At: | |
|----------------|-------|---------|------------|--|



PRESSURE PUMPING LLC
PO Box 884, Chanute, KS 66720
620-431-9210 or 800-487-9678

9703
9593

TICKET NUMBER 53941

LOCATION Ottawa KS

FOREMAN Fred Maden

FIELD TICKET & TREATMENT REPORT
CEMENT

Invoice #81202

| DATE | CUSTOMER # | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|--------------------------|------------|--------------------|---------|----------|-------|--------|
| 12-13-17 | 4807 | Ream # 40-10 | UE 21 | 30 | 16 | WL |
| CUSTOMER | | | TRUCK # | | | |
| Lake Shore Operating LLC | | | DRIVER | | | |
| MAILING ADDRESS | | | TRUCK # | | | |
| P. 340 So. Laura | | | DRIVER | | | |
| CITY | | | TRUCK # | | | |
| Wichita | | | DRIVER | | | |
| STATE | | | TRUCK # | | | |
| KS | | | DRIVER | | | |
| ZIP CODE | | | TRUCK # | | | |
| 67201 | | | DRIVER | | | |

JOB TYPE haugstrub HOLE SIZE 5 7/8 HOLE DEPTH 722 CASING SIZE & WEIGHT 2 7/8 EUE
 CASING DEPTH 915' DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 2 1/2" Plug
 DISPLACEMENT 5.33 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 4.8 bpm

REMARKS: Hold safety meeting. Establish circulation. Mix & Pump 100' Gel Flush. Mix & Pump 96 sks Por Blend II A Cement 2% Gel 5% Kol Seal 1' Pheno Seal/sk Cement to surface. Flush pump & lines clean. Displace 2 1/2" Rubber plug to casing TD. Pressure to 700' PS. Release pressure to set float valve. Shut in casing.

Keith Drilling - Matt

Fred Maden

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL |
|--------------|-------------------|------------------------------------|-----------------|---------|
| CE0450 | 1 | PUMP CHARGE | 495 | 1500.00 |
| CE0002 | 50 mi | MILEAGE | 495 | 357.50 |
| CE0711 | 1 min. man | Ten Miles Delivery | 538 | 660.00 |
| WE0853 | 4 hrs | 90 BBL Vac Truck | 675 | 400.00 |
| | | Sub Total | | 2917.50 |
| | | Less 40% | | 1750.50 |
| CC5842 | 96 sks | Por Blend II A Cement | 1716.00 | |
| CC5965 | 266* | Benstonite Gel | 79.50 | |
| CC6077 | 480* | Kol Seal | 240.00 | |
| CC6079 | 96* | Pheno Seal | 129.60 | |
| CP8176 | 1 | 2 1/2" Rubber Plug | 45.00 | |
| | | Sub Total | | 1910.40 |
| | | Less 40% | | 1146.24 |
| | | 6.5% | SALES TAX | 74.51 |
| | | | ESTIMATED TOTAL | 2971.25 |
| | | | | 4952.25 |

Revin 3737

AUTHORIZATION form TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

| | |
|---|--|
| Operator License #: 35122 | API #: 15-205-28407-00-00 |
| Operator: Lakeshore Operating, LLC | Lease: Renn |
| Address: 23 ½ E Madison Ste A Iola, KS 66749 | Well #: LO-10 |
| Phone: (620) 432-1192 | Spud Date: 12/8/17 Completed: 12/12/17 |
| Contractor License: 34036 | Location: NW-NW-NW-NE of 21-30S-16E |
| T.D. : 922 T.D. of Pipe: 916 | 5080 Feet From South |
| Surface Pipe Size: 7" Depth: 33' | 2440 Feet From East |
| Kind of Well: Oil | County: Wilson |

LOG

| Thickness | Strata | From | To | Thickness | Strata | From | To |
|-----------|--------------------|------|-----|-----------|------------------|------|-----|
| 12 | Soil/Clay | 0 | 12 | 2 | Black Shale | 662 | 664 |
| 2 | Lime | 12 | 14 | 3 | Shale | 664 | 667 |
| 34 | Sandy Shale | 14 | 48 | 13 | Lime | 667 | 680 |
| 3 | Coal | 48 | 51 | 3 | Shale | 680 | 683 |
| 58 | Shale | 51 | 109 | 3 | Black Shale | 683 | 686 |
| 13 | Lime | 109 | 122 | 5 | Shale | 686 | 691 |
| 20 | Shale | 122 | 142 | 5 | Lime | 691 | 696 |
| 51 | Lime | 142 | 193 | 138 | Shale | 696 | 834 |
| 1 | Coal | 193 | 194 | 7 | Broken Sand/Odor | 834 | 839 |
| 5 | Lime | 194 | 199 | 5 | Tight brown sand | 839 | 844 |
| 67 | Shale | 199 | 266 | 2 | Shale | 844 | 846 |
| 18 | Lime | 266 | 284 | 1 | Coal Streak | 846 | 847 |
| 14 | Shale | 284 | 298 | 38 | Shale | 847 | 885 |
| 18 | Lime | 298 | 316 | 6 | Hard Oil Sand | 885 | 891 |
| 37 | Shale | 316 | 353 | 31 | Shale | 891 | 922 |
| 4 | Lime | 353 | 357 | | | | |
| 28 | Shale | 357 | 385 | | T.D. | | 922 |
| 43 | Shale w/ lime strk | 385 | 428 | | T.D. of pipe | | 916 |
| 6 | Lime | 428 | 434 | | | | |
| 116 | Shale | 434 | 550 | | | | |
| 26 | Lime | 550 | 576 | | | | |
| 2 | Shale | 576 | 578 | | | | |
| 3 | Lime | 578 | 581 | | | | |
| 21 | Shale | 581 | 602 | | | | |
| 13 | Sand w/ bleed | 602 | 615 | | | | |
| 25 | Shale | 615 | 640 | | | | |
| 19 | Lime | 640 | 659 | | | | |
| 3 | Shale | 659 | 662 | | | | |

