



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco LLC

17-21S-12W Stafford

2020 N Bramblewood
Wichita, KS 67206

Heaton 10

Job Ticket: 64888

DST#: 3

ATTN: Jerry Smith

Test Start: 2019.01.08 @ 12:39:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

38.4 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 65.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.39 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	3211 GIP	0.000
126.00	GMCO 10%G 30%M 60%O	1.767
219.00	GSY Oil 10%G 90%O	3.072

Total Length: 345.00 ft Total Volume: 4.839 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Gravity was 38.2 @ 58 degrees



