



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco LLC

17-21S-12W Stafford

2020 N Bramblewood
Wichita, KS 67206

Heaton 10

Job Ticket: 64890

DST#: 5

ATTN: Jerry Smith

Test Start: 2019.01.09 @ 05:52:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 65.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.39 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5000.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
0.00	2739 GIP	0.000
63.00	SMCW 5%M 95%W	0.884
315.00	GMWCO 20%G 5%M 20%W 55O	4.419
408.00	GMCO 30%G 10%M 60%O	5.723

Total Length: 786.00 ft

Total Volume: 11.026 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



