Facility Well Name Pioneer #2 **UIC Permit #** KS-01-077-001 **Month** January **Year** 2021

Submitted 03/02/2021 **Approved** 03/15/2021 **KOLAR Document ID** 1562255

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 31

Barrels per Day Maximum: 1,000

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	61	0.04	87	87	-26.3	-26.6	0
Monthly Maximum	132	0.10	93	93	-18.0	-18.9	0
Monthly Minimum	0	0.00	81	81	-28.0	-27.7	0
Monthly Total	1,906						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
158.37	-0.22	-10.09	-29.17

Comments:

changed out nitrogen bottle on Feb 13, 2021.

Pioneer #2 01/2021

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	14:00	39.67	0.02	87	87.6	-27	-27.2	16		0	MB		
2	14:00	110.00	0.07	86	86.9	-27	-27.3	16		0	MB		
3	14:00	63.36	0.05	88	88.2	-26	-26.9	17		0	MB		
4	14:00	12.64	0.00	93	93.2	-26	-26.6	17		0	MB		
5	14:00	47.00	0.02	91	91.2	-27	-26.9	17		0	KS		
6	14:00	65.76	0.05	89	89.1	-27	-27.2	17		0	KS		
7	14:00	63.12	0.05	89	88.7	-27	-27.4	17		0	KS		
8	14:00	54.38	0.05	88	88.4	-28	-27.7	17		0	KS		
9	14:00	42.10	0.02	87	87.3	-28	-27.5	17		0	KS		
10	14:00	59.98	0.05	87	86.8	-27	-27.5	17		0	KS		
11	14:00	65.17	0.05	88	87.5	-27	-27.3	17		0	KS		
12	14:00	52.74	0.05	88	88.2	-27	-27.2	17		0	MS		
13	14:00	45.21	0.02	89	89.1	-27	-26.9	17		0	MS		
14	14:00	48.83	0.02	90	90.2	-26	-26.4	17		0	MS		
15	14:00	0.10	0.00	86	86.3	-26	-26.4	17		0	MS		
16	14:00	86.29	0.07	87	87.0	-27	-27.0	17		0	MS		
17	14:00	71.90	0.05	88	88.3	-27	-26.7	17		0	MS		
18	14:00	82.55	0.05	88	88.2	-27	-26.9	17		0	MS		
19	14:00	52.19	0.05	85	85.9	-27	-27.0	16		0	MB		
20	14:00	92.52	0.07	86	86.6	-27	-27.0	16		0	MB		
21	14:00	106.31	0.07	87	87.1	-26	-26.9	17		0	MB		
22	14:00	15.21	0.00	86	86.7	-25	-25.5	17		0	MB		
23	14:00	69.88	0.05	84	84.5	-26	-26.8	17		0	MB		
24	14:00	132.21	0.10	84	84.3	-26	-26.8	16		0	MB		
25	14:00	102.00	0.07	82	82.8	-26	-26.6	16		0	MB		
26	14:00	33.12	0.02	82	82.0	-18	-18.9	16		0	MB		
27	14:00	31.67	0.02	81	81.3	-23	-23.7	16		0	MB		
28	14:00	15.88	0.00	82	82.5	-27	-27.1	16		0	MB		
29	14:00	74.29	0.05	84	84.7	-26	-26.9	16		0	SA		
30	14:00	118.52	0.07	86	86.3	-26	-26.3	16		0	SA		
31	14:00	51.64	0.05	87	87.0	-27	-26.6	16		0	MS		

Pioneer #2 01/2021

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	58.00	01/07/2021	7.90	01/07/2021	720.0	01/07/2021	01/08/2021		
2	49.00	01/14/2021	7.90	01/14/2021	720.0	01/14/2021	01/18/2021		
3	55.00	01/21/2021	8.30	01/21/2021	360.0	01/21/2021	01/26/2021		
4	54.00	01/28/2021	7.90	01/28/2021	710.0	01/28/2021	02/02/2021		
5									

No monthly injectate samples required.