Facility Well Name Northern (Mullinville) #1 **UIC Permit #** KS-01-097-001 **Month** February **Year** 2021

Submitted 04/05/2021 **Approved** 04/07/2021 **KOLAR Document ID** 1567223

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 17

Barrels per Day Maximum: 2,381

			Annulus Pressure psig min 40		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	389	0.28	70	70	-26.2	-24.3	0
Monthly Maximum	1,548	2.62	79	71	-22.0	-21.0	0
Monthly Minimum	0	0.00	69	68	-28.0	-28.0	0
Monthly Total	10,905						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
72.00	67.00	-20.90	-29.00

Comments:

Northern (Mullinville) #1 02/2021

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	08:35	190.48	0.00	70	69.0	-26	-24.0	54	N/A	0	RFS		
2	08:15	0.00	0.00	70	69.0	-24	-22.0	56	N/A	0	RFS		
3	09:00	0.00	0.00	70	69.0	-22	-21.0	57	N/A	0	AT		
4	07:56	690.48	0.00	70	71.0	-27	-25.0	44	N/A	0	AT		
5	10:50	0.00	0.00	70	69.0	-25	-23.0	55	N/A	0	AT		
6	09:35	214.29	2.62	70	69.0	-27	-22.0	57	N/A	0	AT		
7	10:30	23.81	0.00	70	69.0	-26	-24.0	56	N/A	0	AT		
8	09:25	0.00	0.00	70	69.0	-25	-22.0	57	N/A	0	AT		
9	09:23	619.05	0.00	70	71.0	-27	-25.0	40	N/A	0	AT		
10	09:36	952.38	0.00	72	71.0	-27	-25.0	42	N/A	0	DA		
11	09:00	452.38	0.00	70	68.0	-28	-25.0	41	N/A	0	DA		
12	11:00	619.05	2.62	70	70.0	-28	-28.0	49	N/A	0	DA		
13	08:45	261.90	0.00	70	70.0	-26	-25.0	51	N/A	0	DA		
14	08:30	0.00	0.00	69	69.0	-23	-25.0	53	N/A	0	DA		
15	09:23	380.95	0.00	69	69.0	-27	-25.0	52	N/A	0	DA		
16	09:30	285.71	0.00	70	69.0	-26	-24.0	50	N/A	0	DA		
17	10:05	0.00	0.00	70	69.0	-23	-21.0	51	N/A	0	GDJ		
18	08:30	0.00	0.00	70	69.0	-28	-26.0	33	N/A	0	JN		
19	13:30	0.00	0.00	71	70.0	-27	-23.0	38	N/A	0	GDJ		
20	12:30	1,380.95	2.62	70	68.0	-28	-26.0	38	N/A	0	GDJ		
21	08:40	1,428.57	0.00	70	70.0	-28	-26.0	36	N/A	0	GDJ		
22	09:50	1,452.38	0.00	71	71.0	-28	-26.0	36	N/A	0	GDJ		
23	13:20	1,547.62	0.00	71	71.0	-28	-26.0	38	N/A	0	GDJ		
24	09:45	0.00	0.00	70	69.0	-26	-25.0	48	N/A	0	JWN		
25	10:50	190.48	0.00	71	71.0	-28	-26.0	43	N/A	0	JWN		
26	10:00	214.29	0.00	70	70.0	-26	-25.0	50	N/A	0	JWN		
27	10:00	0.00	0.00	79	69.0	-25	-23.0	53	N/A	0	JWN		
28	10:00	0.00	0.00	70	69.0	-24	-22.0	53	N/A	0	JWN		
29													
30													
31													

Northern (Mullinville) #1 02/2021

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	57.40	02/04/2021	7.10	02/04/2021	N/A				
2	60.60	02/11/2021	7.80	02/11/2021	N/A				
3	58.30	02/18/2021	8.10	02/18/2021	N/A				
4	56.60	02/25/2021	8.00	02/25/2021	N/A				
5					N/A				

No monthly injectate samples required.

Northern (Mullinville) #1 02/2021

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 01/26/2021
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	302,000.000	mg/l
Chloride	350.000	mg/l
Conductivity	2,760.000	Mmhos
Iron	978.000	mg/l
Magnesium	37,000.000	mg/l
Sulfate	718.000	mg/l
Total Alkalinity as CaCO3	36.700	mg/l
Total Dissolved Solids	2,670.000	mg/l
Total Hardness as CaCO3	906,000.000	mg/l