Facility Well Name Kansas Ethanol #5 **UIC Permit #** KS-01-159-007 **Month** June **Year** 2021

Submitted 07/07/2021 **Approved** 07/12/2021 **KOLAR Document ID** 1581442

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 30

Barrels per Day Maximum: 13,714

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	6,087	4.07	78	81	-15.9	-13.3	
Monthly Maximum	7,429	4.69	80	85	-3.0	-1.1	
Monthly Minimum	1,167	0.00	74	76	-26.0	-20.2	
Monthly Total	182,619						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
86.20	75.60	-1.00	-21.10

Comments:

Kansas Ethanol #5 06/2021

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Conduc-tivity	
1	06:50	4,023.81	3.19	74	75.7	-24	-20.2	12	N/A		BF	2,913.00	
2	06:50	6,190.48	4.50	75	76.3	-11	-9.1	12	N/A		BF	3,020.00	
3	06:50	6,452.38	4.50	75	76.9	-12	-9.9	12	N/A		BF	2,921.00	
4	06:50	6,428.57	4.50	75	77.7	-12	-10.4	12	N/A		BF	2,812.00	
5	09:20	7,214.29	4.50	75	78.4	-13	-11.5	12	N/A		AT	1,966.00	
6	09:00	6,380.95	4.48	75	78.5	-13	-11.4	12	N/A		AT	2,263.00	
7	06:50	5,833.33	4.45	76	78.9	-15	-12.8	12	N/A		BF	2,430.00	
8	06:50	6,452.38	4.48	76	78.8	-15	-12.6	12	N/A		BF	2,287.00	
9	06:50	6,452.38	4.48	76	79.4	-16	-13.3	12	N/A		BF	2,121.00	
10	06:50	1,166.67	0.00	80	84.7	-3	-1.1	14	N/A		BF	2,180.00	
11	06:15	2,833.33	0.00	80	84.8	-26	-20.0	14	N/A		BF	2,212.00	
12	03:15	6,952.38	4.60	78	82.0	-13	-10.7	12	N/A		LM	2,317.00	
13	08:50	4,928.57	4.60	76	79.9	-16	-13.6	12	N/A		LM	2,305.00	
14	06:50	5,952.38	4.62	77	80.3	-16	-13.3	12	N/A		BF	2,416.00	
15	06:50	6,619.05	4.62	77	80.5	-16	-13.3	12	N/A		BF	2,338.00	
16	06:50	6,642.86	4.60	78	81.1	-17	-14.6	12	N/A		BF	2,221.00	
17	06:50	6,666.67	4.62	78	81.7	-13	-11.1	13	N/A		BF	2,100.00	
18	06:50	6,571.43	4.62	79	82.1	-15	-12.3	13	N/A		BF	2,310.00	
19	08:57	7,333.33	4.64	79	82.5	-16	-13.4	13	N/A		JC	2,583.00	
20	08:46	6,023.81	4.60	79	82.2	-16	-13.7	13	N/A		JC	2,457.00	
21	06:50	6,500.00	4.62	80	82.4	-16	-13.8	13	N/A		BF	2,414.00	
22	06:50	6,642.86	4.62	79	81.2	-17	-14.3	13	N/A		BF	2,333.00	
23	06:50	6,642.86	4.60	79	81.5	-17	-14.2	13	N/A		BF	2,281.00	
24	06:50	6,595.24	4.62	80	82.7	-16	-13.6	13	N/A		BF	2,060.00	
25	06:50	6,190.48	0.00	80	83.3	-25	-19.9	13	N/A		BF	2,272.00	
26	09:00	7,428.57	4.62	80	83.0	-17	-14.5	13	N/A		CC	2,524.00	
27	09:00	6,523.81	4.55	80	82.4	-18	-15.4	13	N/A		CC	2,414.00	
28	06:50	5,761.90	4.50	80	82.3	-18	-15.4	13	N/A		BF	2,466.00	
29	06:50	6,547.62	4.57	80	82.2	-18	-15.1	13	N/A		BF	2,520.00	
30	06:50	6,666.67	4.69	79	81.8	-18	-14.9	13	N/A		BF	2,377.00	
31													

Kansas Ethanol #5 06/2021

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	65.30	06/02/2021	7.85	06/02/2021	315.0	06/02/2021	06/04/2021		
2	69.20	06/09/2021	7.77	06/09/2021	242.0	06/09/2021	06/10/2021		
3	68.80	06/16/2021	7.64	06/16/2021	280.0	06/16/2021	06/18/2021		
4	69.30	06/23/2021	7.61	06/23/2021	275.0	06/23/2021	06/28/2021		
5	72.20	06/30/2021	7.65	06/30/2021	450.0	06/30/2021	07/06/2021		

No monthly injectate samples required.