



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Shakespeare Oil Co

12-17s-35w Wichita, KS

202 W Main St
Salem, IL 62881

MazanecCommunity1-12

Job Ticket: 65238

DST#: 3

ATTN: Vern Schrag

Test Start: 2019.07.06 @ 07:15:42

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

32 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.99 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 4800.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
189.00	gocm 40%g 20%o 40%m	2.651
252.00	mcgo 20%g 70%o 10%m	3.535
882.00	go 20%g 80%o	12.372
0.00	441 GIP	0.000

Total Length: 1323.00 ft

Total Volume: 18.558 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: 35@90=32



Serial #: 6651

Inside

Shakespeare Oil Co

Mazanec Community 1-12

DST Test Number: 3

