



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

Vincent Oil Corporation  
 200 W Douglas Ave # 725  
 Wichita, KS 67202  
 ATTN: Tom Dudgeon


**6-29S-22W Ford**  
**Imel 4-6**  
 Job Ticket: 64968 **DST#: 1**  
 Test Start: 2019.05.14 @ 19:34:00

## GENERAL INFORMATION:

Formation: **Mississippi**  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 22:07:17  
 Time Test Ended: 05:01:47  
 Interval: **5242.00 ft (KB) To 5287.00 ft (KB) (TVD)**  
 Total Depth: 5287.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Good  
 Test Type: Conventional Bottom Hole (Initial)  
 Tester: Leal Cason  
 Unit No: 74  
 Reference Elevations: 2523.00 ft (KB)  
 2511.00 ft (CF)  
 KB to GR/CF: 12.00 ft

**Serial #: 8672 Inside**  
 Press@RunDepth: 82.19 psig @ 5243.00 ft (KB) Capacity: psig  
 Start Date: 2019.05.14 End Date: 2019.05.15 Last Calib.: 2019.05.15  
 Start Time: 19:34:01 End Time: 05:01:47 Time On Btm: 2019.05.14 @ 22:07:02  
 Time Off Btm: 2019.05.15 @ 02:42:32

**TEST COMMENT:** IF: Fair Blow , BOB in 11 minutes, Built to 35 inches  
 IS: No Blow Back  
 FF: Strong Blow , BOB in 2 Minutes, Built to 30 inches  
 FS: No Blow Back



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2640.17	108.32	Initial Hydro-static
1	21.39	106.94	Open To Flow (1)
31	17.44	110.27	Shut-In(1)
92	315.73	113.29	End Shut-In(1)
93	13.96	113.26	Open To Flow (2)
146	82.19	114.57	Shut-In(2)
274	333.02	116.47	End Shut-In(2)
276	2583.96	116.21	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
0.00	305 GIP	0.00
10.00	SGCM 5%G 95%M	0.14

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)



**TRILOBITE TESTING, INC.**

**DRILL STEM TEST REPORT**

Vincent Oil Corporation  
 200 W Douglas Ave # 725  
 Wichita, KS 67202  
 ATTN: Tom Dudgeon


**6-29S-22W Ford**  
**Imel 4-6**  
 Job Ticket: 64968 **DST#: 1**  
 Test Start: 2019.05.14 @ 19:34:00

**GENERAL INFORMATION:**

Formation: **Mississippi**  
 Deviated: No Whipstock: ft (KB)  
 Test Type: Conventional Bottom Hole (Initial)  
 Time Tool Opened: 22:07:17 Tester: Leal Cason  
 Time Test Ended: 05:01:47 Unit No: 74  
 Interval: **5242.00 ft (KB) To 5287.00 ft (KB) (TVD)** Reference Elevations: 2523.00 ft (KB)  
 Total Depth: 5287.00 ft (KB) (TVD) 2511.00 ft (CF)  
 Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 12.00 ft

**Serial #: 6751 Outside**  
 Press@RunDepth: psig @ 5243.00 ft (KB) Capacity: psig  
 Start Date: 2019.05.14 End Date: 2019.05.15 Last Calib.: 2019.05.15  
 Start Time: 19:34:01 End Time: 05:01:47 Time On Btm:  
 Time Off Btm:

**TEST COMMENT:** IF: Fair Blow, BOB in 11 minutes, Built to 35 inches  
 IS: No Blow Back  
 FF: Strong Blow, BOB in 2 Minutes, Built to 30 inches  
 FS: No Blow Back



PRESSURE SUMMARY			
Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

**Recovery**

Length (ft)	Description	Volume (bbl)
0.00	305 GIP	0.00
10.00	SGCM 5%G 95%M	0.14

**Gas Rates**

	Choke (inches)	Pressure (psig)	Gas Rate (MMcf/d)



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Vincent Oil Corporation

**6-29S-22W Ford**

200 W Douglas Ave # 725  
Wichita, KS 67202

**Imel 4-6**

Job Ticket: 64968

**DST#: 1**

ATTN: Tom Dudgeon

Test Start: 2019.05.14 @ 19:34:00

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.39 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 6800.00 ppm

Filter Cake: 0.02 inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	305 GIP	0.000
10.00	SGCM 5%G 95%M	0.140

Total Length: 10.00 ft      Total Volume: 0.140 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8672


Inside

Vincent Oil Corporation

Inel 4-6

DST Test Number: 1

### Pressure vs. Time



Triobite Testing, Inc

Ref. No: 64968

Printed: 2019.05.15 @ 07:23:41

Serial #: 6751

Outside Vincent Oil Corporation

Inel 4-6

DST Test Number: 1

