



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Vincent Oil Corp.
 200 W Douglas Ave #725
 Wichita, KS 67202
 ATTN: Jim Hall

8/29/22 Ford, KS
Smith Unit 3-8
 Job Ticket: 47654 **DST#: 2**
 Test Start: 2019.06.10 @ 11:09:00

GENERAL INFORMATION:


Formation: **Miss.**
 Deviated: No Whipstock: 2521.00 ft (KB)
 Time Tool Opened: 12:55:20
 Time Test Ended: 19:36:20
 Interval: **5281.00 ft (KB) To 5303.00 ft (KB) (TVD)**
 Total Depth: 5303.00 ft (KB) (TVD)
 Hole Diameter: 7.80 inches Hole Condition: Good
 Test Type: Conventional Bottom Hole (Initial)
 Tester: Chris Hagman
 Unit No: 75
 Reference Elevations: 2521.00 ft (KB)
 2509.00 ft (CF)
 KB to GR/CF: 12.00 ft

Serial #: 6672 Outside

Press@RunDepth: 36.25 psig @ 5283.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2019.06.10 End Date: 2019.06.10 Last Calib.: 1899.12.30
 Start Time: 11:09:02 End Time: 19:36:20 Time On Btm: 2019.06.10 @ 12:55:00
 Time Off Btm: 2019.06.10 @ 17:35:24

TEST COMMENT: IF: BOB 25 min, strong building blow , 13.2 inches
 IS: No blow back
 FF: BOB 10 min., strong building blow , 40 inches
 FS: No blow back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2672.73	108.43	Initial Hydro-static
1	19.77	107.75	Open To Flow (1)
37	28.79	110.10	Shut-In(1)
94	476.87	112.00	End Shut-In(1)
95	25.41	112.02	Open To Flow (2)
156	36.25	113.87	Shut-In(2)
280	482.96	116.25	End Shut-In(2)
281	2589.05	117.67	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	oily w atery mud 40%O, 10%W, 50%M	0.42

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

8/29/22 Ford, KS

200 W Douglas Ave #725
Wichita, KS 67202

Smith Unit 3-8

Job Ticket: 47654

DST#: 2

ATTN: Jim Hall

Test Start: 2019.06.10 @ 11:09:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 58.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.99 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 7400.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	oily watery mud 40%O, 10%W, 50%M	0.421

Total Length: 30.00 ft Total Volume: 0.421 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



Serial #: 8289

Inside

Vincent Oil Corp.

Smith Unit 3-8

DST Test Number: 2

