Facility Well Name Northern (Cunningham) #3 **UIC Permit #** KS-05-151-003 **Month** August **Year** 2021

Submitted 09/09/2021 **Approved** 09/27/2021 **KOLAR Document ID** 1589986

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 13

Barrels per Day Maximum: 4,000

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	193	0.25	94	94	-16.7	-16.7	0
Monthly Maximum	498	0.88	96	97	12.0	0.0	0
Monthly Minimum	0	0.00	86	87	-25.0	-24.0	0
Monthly Total	5,990						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
102.25	85.67	0.00	-29.35

Comments:

Well shut in for well workover on 6/9/21 and back online 6/29/21.

Northern (Cunningham) #3 08/2021

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	09:10	0.00	0.00	94	94.8	-18	-18.0	21		0	AB		
2	08:15	0.00	0.00	93	92.6	-18	-17.0	21		0	GH		
3	08:05	0.00	0.00	94	92.9	-17	-17.0	21		0	GH		
4	07:55	0.00	0.00	94	93.6	-17	-16.0	21		0	GH		
5	08:05	0.00	0.00	94	94.2	-16	-16.0	21		0	GH		
6	08:25	0.00	0.00	94	94.4	-16	-15.0	21		0	GH		
7	07:15	0.00	0.00	95	95.5	-16	-15.0	21		0	GH		
8	07:25	0.00	0.00	95	94.9	-16	-15.0	21		0	GH		
9	10:40	0.00	0.00	95	95.3	-15	-14.0	21		0	KS		
10	09:40	0.00	0.00	95	96.0	-14	-13.0	21		0	KS		
11	09:20	0.00	0.00	95	96.2	-14	-13.0	21		0	KS		
12	10:20	0.00	0.00	95	96.4	-12	-11.0	21		0	KS		
13	10:15	0.00	0.00	95	95.0	12	-13.0	21		0	KS		
14	08:30	0.00	0.00	90	93.5	-10	-4.0	21		0	KS		
15	08:00	0.00	0.00	91	94.2	-12	-11.0	21		0	KS		
16	10:30	0.00	0.00	90	93.4	-11	-11.0	21		0	AB		
17	10:00	0.00	0.00	91	93.3	0	0.0	21		0	AB		
18	09:05	0.00	0.00	94	93.6	0	0.0	21		0	AB		
19	13:45	214.21	0.88	94	93.7	-23	-23.0	20		0	AB		
20	08:10	474.05	0.57	86	86.7	-23	-23.0	17		0	AB		
21	08:10	465.17	0.57	90	89.9	-23	-24.0	19		0	AB		
22	07:40	467.29	0.60	90	90.4	-23	-24.0	19		0	AB		
23	09:15	467.24	0.60	92	92.9	-24	-23.0	20		0	WV		
24	08:45	471.36	0.57	94	94.2	-25	-24.0	20		0	WV		
25	09:15	493.93	0.57	95	95.5	-24	-23.0	20		0	WV		
26	08:10	490.95	0.57	95	96.4	-24	-23.0	21		0	WV		
27	09:10	486.83	0.57	96	97.1	-24	-23.0	20		0	WV		
28	09:20	485.57	0.57	96	97.0	-24	-23.0	21		0	WV		
29	09:20	488.45	0.60	96	96.9	-24	-23.0	21		0	WV		
30	08:15	497.98	0.57	95	94.7	-23	-22.0	21		0	GH		
31	08:05	486.62	0.57	96	96.9	-23	-22.0	22		0	GH		

Northern (Cunningham) #3 08/2021

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1		04/21/2021		08/04/2021	N/A				
2		08/12/2021		08/12/2021	N/A				
3	77.00	08/19/2021	7.10	08/19/2021	N/A				
4	93.00	08/23/2021	6.70	08/23/2021	N/A				
5	95.00	08/30/2021	6.90	08/30/2021	N/A				

No monthly injectate samples required.

Northern (Cunningham) #3 08/2021

Quarterly Injectate Samples

Quarter 3
Date Sample Collected 07/14/2021
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	2,100.000	mg/l
Chloride	26,800.000	mg/l
Conductivity	71.200	Mmhos
Magnesium	521.000	mg/l
Sodium	15,600.000	mg/l
Sulfate	2,710.000	mg/l
Total Alkalinity as CaCO3	156.000	mg/l
Total Dissolved Solids	57,200.000	mg/l
Total Suspended Solids	79.300	mg/l