Facility Well Name Kansas Ethanol #5 **UIC Permit #** KS-01-159-007 **Month** October **Year** 2021

Submitted 11/05/2021 **Approved** 11/24/2021 **KOLAR Document ID** 1598034

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 31

Barrels per Day Maximum: 13,714

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	6,752	4.67	75	76	-17.4	-15.0	
Monthly Maximum	7,357	4.83	76	79	-17.0	-14.1	
Monthly Minimum	5,571	4.50	72	72	-18.0	-15.8	
Monthly Total	209,310						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
81.50	71.9	-11.80	-16.00

Comments:

Kansas Ethanol #5 10/2021

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Conduc-tivity	
1	06:50	6,928.57	4.83	76	77.7	-17	-14.6	12	N/A		BF	2,581.00	
2	07:48	7,309.52	4.83	76	78.4	-17	-14.6	12	N/A		CP	2,129.00	
3	09:00	7,285.71	4.76	76	77.3	-17	-14.9	12	N/A		LT	2,164.00	
4	08:30	6,714.29	4.81	76	77.3	-17	-14.7	12	N/A		BF	2,369.00	
5	06:50	6,380.95	4.76	76	77.9	-17	-15.1	12	N/A		BF	2,283.00	
6	06:50	6,880.95	4.74	76	77.7	-18	-15.3	12	N/A		BF	2,131.00	
7	06:50	6,833.33	4.76	76	77.5	-17	-14.5	12	N/A		BF	2,410.00	
8	06:50	6,857.14	4.76	76	78.0	-17	-14.4	12	N/A		BF	2,275.00	
9	08:34	7,357.14	4.69	76	78.6	-17	-14.5	12	N/A		JC	2,613.00	
10	08:40	6,785.71	4.74	76	78.9	-17	-14.3	12	N/A		JC	2,890.00	
11	06:50	6,238.10	4.67	75	76.9	-17	-15.0	12	N/A		BF	2,717.00	
12	06:50	6,690.48	4.67	76	77.2	-17	-14.8	12	N/A		BF	2,820.00	
13	06:50	6,785.71	4.69	76	77.0	-17	-14.5	12	N/A		BF	2,868.00	
14	06:50	6,714.29	4.69	75	76.0	-17	-14.9	12	N/A		BF	2,744.00	
15	08:30	7,333.33	4.69	75	75.2	-17	-15.3	12	N/A		LB	2,714.00	
16	11:00	7,357.14	4.71	74	74.2	-18	-15.6	12	N/A		CC	2,894.00	
17	10:15	6,476.19	4.67	74	74.5	-18	-15.3	12	N/A		CC	2,846.00	
18	06:50	5,690.48	4.57	74	74.9	-18	-15.5	12	N/A		BF	2,670.00	
19	06:50	6,619.05	4.67	74	75.1	-18	-15.1	12	N/A		BF	2,912.00	
20	06:50	6,738.10	4.64	74	75.7	-18	-14.9	12	N/A		BF	2,727.00	
21	06:50	6,714.29	4.64	73	74.2	-18	-15.3	12	N/A		BF	2,810.00	
22	06:50	6,642.86	4.60	73	74.7	-18	-15.4	12	N/A		BF	2,632.00	
23	08:37	7,261.90	4.62	74	75.1	-17	-14.7	12	N/A		JC	3,028.00	
24	08:45	6,619.05	4.52	75	76.7	-17	-14.7	12	N/A		JC	3,064.00	
25	06:50	6,047.62	4.60	74	74.8	-18	-15.4	12	N/A		BF	2,916.00	
26	06:50	6,523.81	4.57	74	73.6	-18	-15.4	12	N/A		BF	2,980.00	
27	08:30	7,119.05	4.60	74	75.2	-17	-14.1	12	N/A		BF	3,110.00	
28	10:30	7,142.86	4.60	73	73.3	-17	-15.1	12	N/A		BF	2,674.00	
29	06:50	5,571.43	4.60	73	72.8	-18	-15.5	11	N/A		BF	2,822.00	
30	06:50	7,166.67	4.50	72	72.2	-18	-15.8	11	N/A		DW	2,826.00	
31	08:50	6,523.81	4.55	72	72.6	-18	-15.8	11	N/A		DW	2,671.00	

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	66.00	10/05/2021	7.91	10/05/2021	257.0	10/05/2021	10/06/2021		
2	63.90	10/12/2021	7.89	10/12/2021	295.0	10/12/2021	10/14/2021		
3	61.50	10/19/2021	8.04	10/19/2021	257.0	10/19/2021	10/21/2021		
4	64.10	10/26/2021	7.59	10/26/2021	412.0	10/26/2021	11/01/2021		
5									

No monthly injectate samples required.

Kansas Ethanol #5 10/2021

Quarterly Injectate Samples

Quarter 4
Date Sample Collected 10/05/2021
Kansas Lab Certificate Number E-10152
Lab Name SDK Laboratories (Hutchinson)

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	192.000	mg/l
Iron	0.358	mg/l
Magnesium	39.000	mg/l
Sulfate	255.000	mg/l
Total Alkalinity as CaCO3	474.000	mg/l
Total Dissolved Solids	1,370.000	mg/l
Total Hardness as CaCO3	640.000	mg/l