Facility Well Name Compass #3 **UIC Permit #** KS-01-159-005 **Month** January **Year** 2022

Submitted 02/28/2022 **Approved** 03/01/2022 **KOLAR Document ID** 1630380

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 31

Barrels per Day Maximum: 20,571

			Annulus Pressure psig min 50		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	12,268	8.57	71	68	-18.3	-20.8	
Monthly Maximum	12,546	8.74	73	71	-18.0	-20.2	
Monthly Minimum	9,382	8.40	68	66	-20.0	-21.3	
Monthly Total	380,313						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
72.00	65.00	-18.80	-25.50

Comments:

Compass #3 01/2022

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Conductivity Mmhos	
1	11:05	9,381.74	8.52	69	66.0	-18	-20.6	7			BO	2,420.00	
2	08:47	12,297.57	8.57	68	65.8	-19	-21.0	7			BM	2,439.00	
3	08:20	12,350.62	8.60	70	67.1	-20	-20.8	7			BM	2,443.00	
4	10:07	12,388.95	8.50	68	69.7	-19	-20.3	7			BM	2,437.00	
5	11:55	12,336.67	8.57	72	68.4	-19	-20.8	7			KB	2,440.00	
6	12:30	12,342.86	8.62	69	65.5	-19	-20.9	7			KB	2,445.00	
7	12:03	12,350.62	8.62	71	67.2	-19	-20.6	7			KB	2,433.00	
8	13:43	12,356.21	8.55	73	70.3	-18	-20.2	7			KB	2,426.00	
9	13:18	12,357.40	8.48	71	67.5	-19	-21.1	7			KB	2,438.00	
10	08:45	12,398.10	8.67	70	68.0	-18	-21.1	7			BO	2,440.00	
11	07:39	12,401.74	8.52	73	69.4	-18	-20.9	7			KB	2,434.00	
12	09:20	12,392.69	8.71	72	69.4	-18	-20.7	7			BO	2,454.00	
13	08:28	12,400.17	8.45	73	69.8	-19	-21.3	7			BM	2,598.00	
14	09:00	12,368.02	8.55	73	70.7	-18	-20.3	7			BO	2,437.00	
15	09:57	12,321.79	8.50	69	66.5	-18	-20.9	7			BO	2,440.00	
16	10:25	12,331.64	8.48	70	68.0	-18	-20.5	7			BO	2,435.00	
17	11:48	12,336.55	8.52	71	69.4	-18	-20.6	7			BO	2,435.00	
18	09:26	12,335.45	8.52	72	69.7	-18	-20.4	7			BO	2,433.00	
19	11:29	12,349.88	8.40	70	67.1	-18	-21.0	7			KB	2,434.00	
20	10:56	12,281.45	8.50	69	65.6	-18	-21.2	7			KB	2,447.00	
21	10:24	12,370.12	8.67	71	67.1	-18	-20.9	7			KB	2,439.00	
22	11:35	12,366.45	8.60	73	69.4	-18	-21.0	7			KB	2,446.00	
23	09:50	12,276.10	8.67	73	69.4	-19	-20.7	7			KB	2,430.00	
24	07:09	12,545.52	8.60	73	70.2	-18	-20.3	7			KB	2,436.00	
25	13:01	12,378.83	8.52	71	67.7	-18	-21.0	7			KB	2,424.00	
26	08:50	12,341.71	8.64	70	67.8	-18	-21.0	7			BO	2,440.00	
27	12:21	12,543.05	8.60	70	68.3	-18	-20.8	7			BO	2,445.00	
28	08:50	12,191.10	8.57	70	68.7	-18	-21.0	7			BO	2,461.00	
29	12:23	12,424.17	8.62	72	69.5	-18	-20.6	7			BO	2,443.00	
30	07:50	12,398.10	8.55	71	69.2	-18	-20.6	7			BO	2,459.00	
31	09:00	12,397.36	8.74	72	69.5	-18	-20.4	7			BO	2,434.00	

Compass #3 01/2022

Weekly Injectate Samples

Kansas Lab Certificate Number E-30320

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	57.20	01/04/2022	7.32	01/04/2022	513.0	01/04/2022	01/04/2022		
2	58.10	01/11/2022	7.30	01/11/2022	509.0	01/11/2022	01/11/2022		
3	56.80	01/18/2022	7.31	01/18/2022	498.0	01/18/2022	01/18/2022		
4	57.20	01/26/2022	7.29	01/26/2022	623.0	01/26/2022	01/26/2022		
5	56.90	01/31/2022	7.29	01/31/2022	563.0	01/31/2022	01/31/2022		

No monthly injectate samples required.

Compass #3 01/2022

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 01/13/2022
Kansas Lab Certificate Number E-10116
Lab Name Pace Analytical-Lenexa

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	114.000	mg/l
Iron	<0.050	mg/l
Magnesium	14.500	mg/l
Sulfate	107.000	mg/l
Total Alkalinity as CaCO3	315.000	mg/l
Total Dissolved Solids	1,620.000	mg/l
Total Hardness as CaCO3	344.000	mg/l