Facility Well Name Northern (Mullinville) #1 **UIC Permit #** KS-01-097-001 **Month** February **Year** 2022

Submitted 03/02/2022 **Approved** 03/17/2022 **KOLAR Document ID** 1631875

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 12

Barrels per Day Maximum: 2,381

			Annulus Pressure psig min 40		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	109	0.00	70	69	-26.9	-25.0	0
Monthly Maximum	381	0.00	71	71	-25.0	-23.0	0
Monthly Minimum	0	0.00	69	68	-29.0	-27.0	0
Monthly Total	3,048						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
71.00	68.00	-25.00	-29.00

Comments:

Northern (Mullinville) #1 02/2022

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	08:45	0.00	0.00	70	69.0	-27	-25.0	52	N/A	0	DT		
2	09:41	0.00	0.00	70	68.0	-26	-23.0	53	N/A	0	DT		
3	11:00	380.95	0.00	70	70.0	-28	-25.0	47	N/A	0	DT		
4	08:52	0.00	0.00	70	69.0	-27	-25.0	52	N/A	0	AT		
5	10:13	0.00	0.00	71	70.0	-27	-26.0	39	N/A	0	AT		
6	09:45	0.00	0.00	69	70.0	-27	-26.0	42	N/A	0	AT		
7	09:50	0.00	0.00	70	69.0	-27	-25.0	50	N/A	0	AT		
8	09:35	0.00	0.00	70	69.0	-26	-25.0	52	N/A	0	AT		
9	09:30	0.00	0.00	70	68.0	-26	-24.0	53	N/A	0	JN		
10	09:15	23.81	0.00	70	68.0	-27	-26.0	41	N/A	0	AT		
11	08:15	190.48	0.00	71	70.0	-28	-26.0	46	N/A	0	JN		
12	11:15	380.95	0.00	70	70.0	-28	-26.0	49	N/A	0	DA		
13	10:15	0.00	0.00	70	70.0	-26	-25.0	52	N/A	0	DA		
14	09:14	0.00	0.00	70	69.0	-26	-24.0	53	N/A	0	DA		
15	13:41	190.48	0.00	71	71.0	-28	-26.0	46	N/A	0	DA		
16	08:50	190.48	0.00	69	69.0	-25	-26.0	50	N/A	0	JC		
17	09:15	380.95	0.00	70	68.0	-29	-25.0	41	N/A	0	JC		
18	08:30	190.48	0.00	70	69.0	-28	-26.0	49	N/A	0	JC		
19	08:15	0.00	0.00	70	70.0	-27	-25.0	52	N/A	0	JN		
20	09:00	0.00	0.00	69	69.0	-26	-24.0	52	N/A	0	JN		
21	09:13	0.00	0.00	70	69.0	-25	-23.0	54	N/A	0	JN		
22	09:00	0.00	0.00	69	70.0	-28	-24.0	50	N/A	0	JN		
23	10:50	166.67	0.00	70	69.0	-26	-24.0	51	N/A	0	GDJ		
24	09:50	190.48	0.00	70	69.0	-27	-25.0	50	N/A	0	GDJ		
25	08:10	380.95	0.00	69	68.0	-26	-24.0	49	N/A	0	RFS		
26	07:45	380.95	0.00	70	69.0	-28	-27.0	48	N/A	0	GDJ		
27	08:30	0.00	0.00	70	70.0	-27	-26.0	51	N/A	0	GDJ		
28	11:45	0.00	0.00	70	70.0	-26	-25.0	51	N/A	0	RFS		
29													
30													
31													

Northern (Mullinville) #1 02/2022

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	49.60	02/03/2022	7.50	02/03/2022	N/A				
2	69.40	02/10/2022	7.10	02/10/2022	N/A				
3	62.30	02/17/2022	7.90	02/17/2022	N/A				
4	60.00	02/24/2022	7.80	02/24/2022	N/A				
5					N/A				

No monthly injectate samples required.

Northern (Mullinville) #1 02/2022

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 01/17/2022
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	26,600.000	mg/l
Chloride	277.000	mg/l
Conductivity	2,440.000	Mmhos
Iron	2,880.000	mg/l
Magnesium	29,400.000	mg/l
Sulfate	680.000	mg/l
Total Alkalinity as CaCO3	27.200	mg/l
Total Dissolved Solids	1,880.000	mg/l
Total Hardness as CaCO3	786,000.000	mg/l