Facility Well Name Kansas Ethanol #5 **UIC Permit #** KS-01-159-007 **Month** April **Year** 2022

Submitted 05/05/2022 **Approved** 05/31/2022 **KOLAR Document ID** 1642361

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 30

Barrels per Day Maximum: 13,714

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	4,330	2.98	71	73	-24.2	-20.3	
Monthly Maximum	5,238	3.31	72	75	-24.0	-19.3	
Monthly Minimum	3,738	2.79	69	71	-25.0	-21.2	
Monthly Total	129,905						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
77.80	70.70	-17.50	-21.20

Comments:

Kansas Ethanol #5 04/2022

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Conduc-tivity	
1	06:50	4,595.24	3.02	69	70.8	-25	-20.6	10	N/A		BF	2,344.00	
2	08:00	4,666.67	3.07	69	71.5	-24	-20.4	10	N/A		LT	2,471.00	
3	08:15	4,452.38	3.14	70	72.6	-24	-19.8	10	N/A		LT	2,455.00	
4	06:50	4,047.62	2.95	70	73.8	-25	-19.6	11	N/A		BF	2,401.00	
5	06:50	4,357.14	2.98	71	74.2	-24	-19.4	11	N/A		BF	2,388.00	
6	06:50	4,380.95	3.05	71	74.6	-24	-19.3	11	N/A		BF	2,460.00	
7	06:50	4,119.05	2.79	70	73.5	-24	-20.5	11	N/A		BF	2,221.00	
8	06:50	4,214.29	2.95	70	72.5	-24	-20.6	11	N/A		BF	2,416.00	
9	08:30	4,547.62	2.79	70	72.2	-25	-21.1	11	N/A		JC	2,553.00	
10	08:35	4,071.43	2.81	70	74.5	-24	-19.6	11	N/A		JC	2,203.00	
11	06:50	3,738.10	2.81	71	74.8	-24	-19.8	11	N/A		BF	2,267.00	
12	06:50	4,119.05	2.83	71	73.8	-24	-20.1	11	N/A		BF	2,410.00	
13	06:50	4,166.67	2.88	71	74.4	-24	-19.9	11	N/A		BF	2,363.00	
14	09:15	4,642.86	2.90	70	73.0	-24	-20.8	11	N/A		BM	2,424.00	
15	06:50	3,761.90	2.95	71	73.4	-24	-20.5	11	N/A		BF	2,466.00	
16	09:00	4,595.24	2.95	71	72.4	-24	-21.1	11	N/A		DW	2,553.00	
17	08:50	4,119.05	2.83	71	72.9	-25	-20.7	11	N/A		DW	2,619.00	
18	06:50	3,761.90	2.88	71	73.3	-25	-20.7	11	N/A		BF	2,420.00	
19	06:50	4,190.48	2.93	71	73.2	-25	-20.7	11	N/A		BF	2,482.00	
20	06:50	4,142.86	2.86	71	74.1	-25	-20.1	11	N/A		BF	2,217.00	
21	06:50	4,142.86	2.88	72	74.5	-24	-19.9	11	N/A		BF	2,548.00	
22	06:50	4,190.48	2.86	72	74.4	-24	-20.0	11	N/A		BF	2,318.00	
23	08:25	4,809.52	3.17	72	74.3	-24	-19.9	11	N/A		JN	2,391.00	
24	08:25	4,595.24	3.19	72	73.0	-24	-20.5	11	N/A		JN	2,509.00	
25	06:50	4,214.29	3.17	72	72.4	-24	-20.9	11	N/A		BF	2,475.00	
26	08:45	4,952.38	3.19	71	72.2	-24	-21.2	11	N/A		BM	2,495.00	
27	06:50	4,095.24	3.07	72	73.3	-24	-20.9	11	N/A		BF	2,410.00	
28	06:50	4,452.38	3.12	72	74.2	-24	-20.4	11	N/A		BF	2,558.00	
29	06:50	4,523.81	3.19	72	74.9	-24	-20.0	11	N/A		BF	2,377.00	
30	09:12	5,238.10	3.31	72	74.2	-24	-20.2	11	N/A		LH	2,612.00	
31													

Kansas Ethanol #5 04/2022

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	63.84	04/01/2022	7.86	04/01/2022	300.0	04/01/2022	04/05/2022		
2	60.40	04/07/2022	7.85	04/07/2022	305.0	04/07/2022	04/11/2022		
3	62.90	04/13/2022	7.81	04/13/2022	310.0	04/13/2022	04/18/2022		
4	64.30	04/20/2022	7.79	04/20/2022	295.0	04/20/2022	04/21/2022		
5	65.20	04/27/2022	7.98	04/27/2022	310.0	04/27/2022	05/02/2022		

No monthly injectate samples required.

Kansas Ethanol #5 04/2022

Quarterly Injectate Samples

Quarter 2
Date Sample Collected 04/13/2022
Kansas Lab Certificate Number E-10152
Lab Name SDK Laboratories (Hutchinson)

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	295.000	mg/l
Iron	16.740	mg/l
Magnesium	58.500	mg/l
Sulfate	363.000	mg/l
Total Alkalinity as CaCO3	648.000	mg/l
Total Dissolved Solids	1,890.000	mg/l
Total Hardness as CaCO3	978.000	mg/l