Facility Well Name ONEOK (Bushton) #4 **UIC Permit #** KS-01-053-003 **Month** April **Year** 2022

Submitted 05/24/2022 **Approved** 05/31/2022 **KOLAR Document ID** 1644972

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 30

Barrels per Day Maximum: 30,952

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	145	0.10	75	76	-19.9	-19.3	0
Monthly Maximum	3,893	2.71	81	81	0.0	0.0	0
Monthly Minimum	1	0.00	71	71	-27.0	-26.0	0
Monthly Total	4,337						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
85.35	69.96	-18.97	-26.36

Comments:

4.27.22: Disposal testing

ONEOK (Bushton) #4 04/2022

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	05:50	3.00	0.00	80	80.5	-20	-19.9	15		0	NZ		
2	06:10	2.00	0.00	74	74.2	-22	-20.8	15		0	NZ		
3	05:50	3.00	0.00	78	78.1	-22	-20.9	15		0	NZ		
4	05:15	3.00	0.00	76	76.5	-22	-20.1	15		0	NZ		
5	05:50	2.00	0.00	77	77.3	-22	-20.3	15		0	NZ		
6	05:40	3.00	0.00	75	75.1	-22	-20.7	15		0	NZ		
7	05:50	3.00	0.00	74	74.1	-22	-21.5	15		0	KK		
8	05:52	2.00	0.00	74	73.8	-22	-21.8	15		0	KK		
9	06:24	2.00	0.00	72	72.1	-21	-20.3	15		0	TS		
10	08:20	2.00	0.00	78	76.8	-21	-19.6	15		0	TS		
11	05:50	3.00	0.00	76	75.9	-20	-19.9	15		0	ES		
12	05:33	2.00	0.00	77	77.3	-20	-19.9	15		0	ES		
13	06:20	1.00	0.00	74	74.7	-20	-19.9	15		0	ES		
14	06:05	2.00	0.00	71	71.5	-21	-20.3	15		0	ES		
15	06:07	1.00	0.00	75	75.1	-20	-19.9	15		0	ES		
16	06:25	1.00	0.00	73	72.5	-20	-20.3	15		0	ES		
17	06:25	1.00	0.00	74	74.3	-20	-20.1	15		0	ES		
18	06:35	1.00	0.00	73	73.2	-21	-20.4	15		0	ES		
19	05:41	1.00	0.00	72	72.2	-21	-20.3	15		0	KJ		
20	05:51	2.00	0.00	76	76.6	-20	-19.5	15		0	KJ		
21	06:56	3.00	0.00	75	74.8	-21	-21.3	15		0	TS		
22	05:57	3.00	0.00	78	78.8	-20	-19.8	15		0	TS		
23	06:37	3.00	0.00	78	77.2	-20	-19.5	15		0	TS		
24	07:40	18.00	0.02	74	72.7	-21	-19.9	15		0	TS		
25	06:30	1.00	0.00	71	71.3	-21	-19.8	15		0	NZ		
26	06:45	1.00	0.00	71	71.3	-21	-21.0	15		0	NZ		
27	05:35	3,893.00	2.71	78	78.3	-1	-0.1	15		0	JI		
28	05:40	324.00	0.21	80	80.1	0	0.0	15		0	NZ		
29	05:58	1.00	0.00	81	80.9	-27	-25.8	15		0	TS		
30	06:00	50.00	0.02	78	78.1	-27	-26.0	15		0	NZ		
31													

ONEOK (Bushton) #4 04/2022

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	52.00	04/03/2022	6.45	04/03/2022	160,000.0	04/03/2022	04/15/2022		
2	54.20	04/10/2022	6.40	04/10/2022	163,000.0	04/10/2022	04/27/2022		
3	48.70	04/17/2022	6.37	04/17/2022	161,000.0	04/17/2022	04/27/2022		
4	62.40	04/24/2022	6.64	04/24/2022	176,000.0	04/24/2022	05/10/2022		
5									

No monthly injectate samples required.