Facility Well Name Northern (Bushton) #1 **UIC Permit #** KS-01-159-003 **Month** June **Year** 2022

Submitted 07/11/2022 **Approved** 07/28/2022 **KOLAR Document ID** 1655784

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 8

Barrels per Day Maximum: 3,840

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	12	0.00	142	137	-27.6	-24.7	0
Monthly Maximum	70	0.00	145	138	-24.0	-24.3	0
Monthly Minimum	0	0.00	137	133	-29.0	-25.3	0
Monthly Total	347						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
138.80	129.60	-23.50	-25.30

Comments:

Northern (Bushton) #1 06/2022

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	07:45	0.00	0.00	140	134.9	-28	-24.9	6	N	0	DJ		
2	08:00	13.83	0.00	140	134.3	-28	-24.8	6	N	0	DJ		
3	09:00	0.00	0.00	140	134.5	-28	-24.8	6	N	0	RB		
4	07:00	0.00	0.00	141	135.0	-28	-25.0	6	N	0	RB		
5	06:30	0.00	0.00	140	135.0	-28	-25.0	6	N	0	RB		
6	10:00	64.74	0.00	140	136.2	-26	-24.5	6	N	0	MU		
7	08:00	0.00	0.00	138	135.5	-28	-25.1	6	N	0	MU		
8	10:00	0.00	0.00	141	136.1	-28	-25.2	6	N	0	MU		
9	07:00	0.00	0.00	140	136.4	-28	-24.8	6	N	0	MU		
10	07:30	46.93	0.00	142	136.3	-28	-24.7	6	N	0	LM		
11	08:00	0.00	0.00	142	137.1	-28	-24.5	6	N	0	ADR		
12	08:00	0.00	0.00	142	137.7	-27	-24.4	6	N	0	ADR		
13	07:40	0.00	0.00	143	137.5	-27	-24.3	6	N	0	LM		
14	07:45	12.88	0.00	143	137.4	-27	-24.3	6	N	0	RE		
15	08:30	0.00	0.00	142	137.1	-24	-24.4	6	N	0	MU		
16	09:00	67.88	0.00	143	137.6	-27	-24.7	6	N	0	MU		
17	09:00	0.00	0.00	145	137.8	-28	-24.7	5	N	0	DTS		
18	09:00	0.00	0.00	143	138.0	-27	-25.0	5	N	0	GA		
19	08:30	0.00	0.00	144	138.0	-28	-24.7	6	N	0	GA		
20	10:55	0.00	0.00	144	137.8	-28	-24.7	5	N	0	LM		
21	14:06	70.48	0.00	137	132.7	-28	-24.8	5	N	0	LM		
22	08:21	0.00	0.00	143	137.3	-28	-24.9	5	N	0	LM		
23	09:01	0.00	0.00	143	137.7	-28	-24.7	5	N	0	LM		
24	09:30	61.57	0.00	142	138.0	-28	-24.5	5	N	0	MU		
25	08:00	0.00	0.00	143	138.0	-28	-24.6	5	N	0	MU		
26	08:30	0.00	0.00	138	133.2	-28	-24.7	5	N	0	MU		
27	08:30	0.00	0.00	141	136.9	-29	-25.3	6	N	0	MW		
28	08:15	9.14	0.00	140	135.1	-28	-24.9	6	N	0	MW		
29	08:53	0.00	0.00	144	137.9	-28	-24.8	5	N	0	LM		
30	08:24	0.00	0.00	144	138.0	-27	-24.6	5	N	0	LM		
31													

Northern (Bushton) #1 06/2022

Weekly Injectate Samples

Kansas Lab Certificate Number

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	62.00	06/01/2022	5.40	06/01/2022	N/A				
2	67.00	06/07/2022	5.68	06/07/2022	N/A				
3	67.00	06/13/2022	5.40	06/13/2022	N/A				
4	66.00	06/22/2022	5.92	06/22/2022	N/A				
5	65.00	06/28/2022	7.99	06/28/2022	N/A				

No monthly injectate samples required.

Northern (Bushton) #1 06/2022

Quarterly Injectate Samples

Quarter 2
Date Sample Collected 05/16/2022
Kansas Lab Certificate Number 1011610146
Lab Name

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	241.000	mg/l
Chloride	1,430.000	mg/l
Conductivity	15.300	Mmhos
Diethanolamine	<50.000	mg/l
Iron	20.300	mg/l
Magnesium	30.300	mg/l
Sulfate	ND	mg/l
Total Alkalinity as CaCO3	274.000	mg/l
Total Dissolved Solids	3,210.000	mg/l
Total Hardness as CaCO3	726.000	mg/l