Facility Well Name CHS Conway #2 **UIC Permit #** KS-01-113-014 **Month** October **Year** 2022

Submitted 11/17/2022 **Approved** 11/22/2022 **KOLAR Document ID** 1673714

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 12

Barrels per Day Maximum: 16,000

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	350	0.24	90	88	9.8	9.1	
Monthly Maximum	965	0.67	94	93	14.0	13.3	
Monthly Minimum	0	0.00	84	82	2.0	1.4	
Monthly Total	10,864						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
97.05	85.02	15.05	0.57

Comments:

CHS Conway #2 10/2022

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	07:00	961.38	0.67	87	86.2	2	1.5	12			GE		
2	07:00	954.52	0.67	86	85.0	2	1.8	12			GE		
3	07:00	942.17	0.64	86	85.6	2	1.6	13			MJ		
4	07:00	960.00	0.67	86	85.8	3	1.9	13			MJ		
5	07:00	953.48	0.67	88	86.8	2	1.7	13			MJ		
6	07:00	962.40	0.67	86	85.3	2	1.5	13			MJ		
7	07:00	965.48	0.67	86	85.8	2	1.4	13			MJ		
8	07:00	941.14	0.64	90	90.1	2	1.4	12			MC		
9	07:00	952.81	0.67	90	89.9	2	1.8	12			MC		
10	07:00	945.60	0.67	90	89.8	2	2.5	13			MJ		
11	07:00	960.33	0.67	91	90.3	3	2.0	13			MJ		
12	07:00	364.45	0.26	94	92.5	14	13.3	13			MJ		
13	07:00	0.00	0.00	94	92.7	14	13.3	13			MJ		
14	07:00	0.00	0.00	93	82.3	14	13.3	13			MJ		
15	07:00	0.00	0.00	84	82.6	14	13.3	12			AS		
16	07:00	0.00	0.00	93	92.6	14	13.2	13			AS		
17	07:00	0.00	0.00	92	91.4	14	13.2	13			MJ		
18	07:00	0.00	0.00	92	90.8	14	13.2	13			MJ		
19	07:00	0.00	0.00	92	90.1	14	13.2	13			MJ		
20	07:00	0.00	0.00	92	91.0	14	13.1	13			MJ		
21	07:00	0.00	0.00	92	90.3	14	13.2	13			MJ		
22	07:00	0.00	0.00	92	90.1	14	13.2	13			RB		
23	07:00	0.00	0.00	92	90.7	14	13.2	13			RB		
24	07:00	0.00	0.00	90	90.0	14	13.2	13			MJ		
25	07:00	0.00	0.00	89	88.0	14	13.2	13			MJ		
26	07:00	0.00	0.00	89	88.3	14	13.2	13			MJ		
27	07:00	0.00	0.00	89	88.0	14	13.1	13			MJ		
28	07:00	0.00	0.00	88	87.0	14	13.1	13			MJ		
29	07:00	0.00	0.00	88	87.0	14	13.1	13			GE		
30	07:00	0.00	0.00	90	88.0	14	13.1	13			GE		
31	07:00	0.00	0.00	88	86.9	14	13.1	13			MJ		

CHS Conway #2 10/2022

Weekly Injectate Samples

Kansas Lab Certificate Number E-10116

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	64.00	10/03/2022	7.00	10/03/2022	12,900.0	10/03/2022	10/14/2022		
2	63.00	10/11/2022	7.00	10/11/2022	13,400.0	10/11/2022	11/02/2022		
3									
4									
5									

No monthly injectate samples required.