Facility Well Name Enterprise #1 **UIC Permit #** KS-01-155-008 **Month** January **Year** 2023

Submitted 02/07/2023 **Approved** 02/28/2023 **KOLAR Document ID** 1688318

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 0

Barrels per Day Maximum: 30,000

	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Annulus Pressure psig min 60 Gauge psig	Annulus Pressure Cont. Record psig	Injection Pressure Gauge psig	Injection Pressure Cont. Record psig	Amount Added to Seal Pot
Monthly Average	0	0.00	73	73	0.0	0.0	0
Monthly Maximum	0	0.00	85	85	0.0	0.0	0
Monthly Minimum	0	0.00	68	68	0.0	0.0	0
Monthly Total	0						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
87.00	65.00	0.00	0.00

Comments:

Added nitrogen to the annulus on the 23rd

Enterprise #1 01/2023

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	07:00	0.00	0.00	72	72.0	0	0.0	46		0	DW		
2	07:00	0.00	0.00	74	74.0	0	0.0	46		0	CN		
3	07:00	0.00	0.00	72	72.0	0	0.0	46		0	CN		
4	07:00	0.00	0.00	72	72.0	0	0.0	46		0	CN		
5	07:00	0.00	0.00	70	70.0	0	0.0	46		0	JN		
6	07:00	0.00	0.00	70	70.0	0	0.0	46		0	BW		
7	07:00	0.00	0.00	70	70.0	0	0.0	46		0	BW		
8	07:00	0.00	0.00	70	70.0	0	0.0	46		0	BW		
9	07:00	0.00	0.00	70	70.0	0	0.0	46		0	JN		
10	07:00	0.00	0.00	70	70.0	0	0.0	46		0	JN		
11	07:00	0.00	0.00	70	70.0	0	0.0	46		0	JN		
12	07:00	0.00	0.00	70	70.0	0	0.0	46		0	JN		
13	07:00	0.00	0.00	68	68.0	0	0.0	46		0	TDH		
14	07:00	0.00	0.00	69	69.0	0	0.0	46		0	TDH		
15	07:00	0.00	0.00	71	71.0	0	0.0	46		0	TDH		
16	07:00	0.00	0.00	72	72.0	0	0.0	46		0	DW		
17	07:00	0.00	0.00	70	70.0	0	0.0	46		0	JH		
18	07:00	0.00	0.00	70	70.0	0	0.0	46		0	DW		
19	07:00	0.00	0.00	68	68.0	0	0.0	46		0	DW		
20	07:00	0.00	0.00	68	68.0	0	0.0	46		0	CN		
21	07:00	0.00	0.00	68	68.0	0	0.0	46		0	CN		
22	07:00	0.00	0.00	69	69.0	0	0.0	46		0	CN		
23	07:00	0.00	0.00	85	85.0	0	0.0	46		0	BW		
24	07:00	0.00	0.00	83	83.0	0	0.0	46		0	BW		
25	07:00	0.00	0.00	80	80.0	0	0.0	45		0	BW		
26	07:00	0.00	0.00	80	80.0	0	0.0	45		0	BW		
27	07:00	0.00	0.00	82	82.0	0	0.0	46		0	JN		
28	07:00	0.00	0.00	81	81.0	0	0.0	46		0	JN		
29	07:00	0.00	0.00	76	76.0	0	0.0	46		0	JN		
30	07:00	0.00	0.00	78	78.0	0	0.0	45		0	TDH		
31	07:00	0.00	0.00	76	76.0	0	0.0	45		0	TDH		