Facility Well Name Redbarn #1 **UIC Permit #** KS-01-009-001 **Month** September **Year** 2023

Submitted 10/27/2023 **Approved** 11/01/2023 **KOLAR Document ID** 1735076

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 29

Barrels per Day Maximum: 4,762

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	2,359	6.48	71	70	19.4	18.1	
Monthly Maximum	7,798	8.90	85	83	25.0	24.1	
Monthly Minimum	0	0.00	62	60	12.0	11.3	
Monthly Total	70,758						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
83.75	60.35	-11.34	-24.06

Comments:

Redbarn #1 09/2023

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	05:03	3,517.64	6.00	81	79.4	12	11.6	36	N/A		DM		
2	10:07	5,683.90	0.00	85	83.3	22	19.6	35	N/A		DM		
3	10:00	0.00	0.00	84	83.3	20	19.6	35	N/A		DM		
4	11:15	7,797.93	0.00	84	82.3	20	19.2	36	N/A		DM		
5	04:51	2,472.88	8.74	80	77.4	23	22.0	36	N/A		DM		
6	10:58	1,556.57	8.71	77	75.7	24	22.5	35	N/A		DM		
7	07:58	961.60	8.79	73	71.2	24	22.9	36	N/A		DM		
8	09:17	1,160.60	6.45	74	72.3	14	12.9	36	N/A		DM		
9	10:25	2,244.19	6.67	74	73.7	15	13.4	36	N/A		DM		
10	09:30	1,681.86	0.00	70	68.4	24	22.5	36	N/A		DM		
11	10:54	1,268.71	8.76	67	65.2	24	23.6	36	N/A		DM		
12	09:19	1,043.55	8.90	67	65.9	24	22.8	35	N/A		DM		
13	09:11	3,365.45	6.48	66	64.7	15	13.5	36	N/A		DM		
14	04:40	1,646.12	6.29	65	63.2	14	12.3	35	N/A		DM		
15	05:19	3,506.43	6.05	65	63.8	13	11.3	36	N/A		DM		
16	05:18	2,465.43	8.62	63	61.7	24	23.8	36	N/A		DM		
17	12:08	2,738.71	6.17	68	66.3	14	12.2	36	N/A		DM		
18	10:34	2,002.62	8.57	67	65.1	24	21.7	36	N/A		DM		
19	08:31	2,129.29	6.19	62	60.8	14	12.5	35	N/A		DM		
20	08:40	895.69	8.57	62	60.4	24	23.6	36	N/A		DM		
21	04:34	3,123.93	8.52	75	73.5	24	23.1	34	N/A		DM		
22	04:34	2,459.64	6.43	74	72.7	14	13.4	34	N/A		DM		
23	11:17	4,183.69	8.45	77	75.1	23	21.5	35	N/A		DM		
24	12:17	2,488.36	6.07	76	74.5	14	12.1	35	N/A		DM		
25	07:13	1,542.93	6.64	67	65.0	16	14.5	34	N/A		DM		
26	04:40	1,407.83	7.33	67	65.3	19	17.4	35	N/A		DM		
27	08:24	3,265.67	7.02	67	66.6	18	16.0	34	N/A		DM		
28	06:05	769.71	8.67	66	64.8	25	24.1	35	N/A		DM		
29	05:37	1,314.02	8.57	67	65.6	24	23.3	34	N/A		DM		
30	04:34	2,062.55	6.64	67	65.7	16	14.4	34	N/A		DM		

Redbarn #1 09/2023

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	86.78	09/06/2023	8.75	09/06/2023	189.0	09/06/2023	09/15/2023		
2	83.26	09/13/2023	9.21	09/13/2023	215.0	09/13/2023	09/22/2023		
3	83.74	09/20/2023	8.96	09/20/2023	187.0	09/20/2023	09/29/2023		
4	79.00	09/27/2023	9.16	09/27/2023	216.0	09/27/2023	10/06/2023		
5									

No monthly injectate samples required.

Redbarn #1 09/2023

Quarterly Injectate Samples

Quarter 3
Date Sample Collected 09/20/2023
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	42,100.000	mg/l
Conductivity	1,780.000	Mmhos
Magnesium	8,280.000	mg/l
Oil and Grease	ND	mg/l
Sodium	307,000.000	mg/l
Sulfate	62.500	mg/l
Total Alkalinity as CaCO3	458.00000	mg/l (as CaCO3)
Total Dissolved Solids	1,010.000	mg/l
Total Suspended Solids	17.900	mg/l