Facility Well Name Northern (Cunningham) WIW #3 **UIC Permit #** KS-05-151-003 **Month** December **Year** 2023

Submitted 01/02/2024 **Approved** 01/25/2024 **KOLAR Document ID** 1743075

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 5

Barrels per Day Maximum: 4,000

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	2	0.04	106	106	-21.9	-23.5	0
Monthly Maximum	25	0.31	108	107	-20.0	-22.0	0
Monthly Minimum	0	0.00	105	105	-24.0	-24.0	0
Monthly Total	61						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
111.68	98.11	-15.08	-29.35

Comments:

Northern (Cunningham) WIW #3 12/2023

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	11:14	0.00	0.00	106	106.4	-20	-23.0	17		0	GKB		
2	11:06	0.00	0.00	107	106.3	-20	-23.0	17		0	JCJ		
3	09:41	0.00	0.00	105	106.4	-22	-24.0	17		0	GKB		
4	13:45	1.26	0.31	106	106.3	-24	-23.0	17		0	DMH		
5	09:40	0.00	0.00	107	106.2	-22	-24.0	17		0	DMH		
6	09:26	0.00	0.00	106	106.2	-22	-24.0	17		0	GKB		
7	10:00	0.00	0.00	106	106.5	-24	-23.0	17		0	DMH		
8	09:35	0.14	0.00	106	106.5	-24	-23.0	17		0	DMH		
9	08:00	0.00	0.00	106	106.5	-22	-23.0	17		0	DMH		
10	11:18	0.00	0.00	106	106.0	-22	-23.0	17		0	JWM		
11	11:49	24.76	0.29	106	106.1	-22	-23.0	17		0	GN		
12	14:08	0.00	0.00	106	105.8	-24	-24.0	17		0	GN		
13	09:13	0.00	0.00	106	105.8	-22	-24.0	17		0	JWM		
14	09:01	0.00	0.00	106	105.8	-21	-24.0	17		0	HS		
15	10:30	0.00	0.00	108	106.2	-22	-24.0	17		0	HS		
16	07:53	0.00	0.00	107	106.2	-22	-24.0	17		0	HS		
17	11:38	0.00	0.00	106	106.2	-22	-22.0	17		0	GN		
18	10:52	16.31	0.31	106	106.3	-21	-23.0	17		0	BD		
19	08:57	0.00	0.00	106	105.4	-21	-23.0	17		0	DO		
20	09:26	0.00	0.00	107	105.9	-22	-23.0	17		0	BD		
21	10:09	0.00	0.00	107	106.4	-22	-23.0	17		0	JWM		
22	09:44	0.00	0.00	107	106.3	-22	-24.0	17		0	BD		
23	06:40	0.00	0.00	107	106.3	-23	-24.0	17		0	BD		
24	07:00	0.00	0.00	107	106.4	-22	-23.0	17		0	BD		
25	08:45	18.14	0.29	107	106.8	-21	-24.0	17		0	DV		
26	08:35	0.00	0.00	106	105.5	-22	-24.0	17		0	AB		
27	09:20	0.00	0.00	106	106.0	-21	-24.0	17		0	DV		
28	09:45	0.00	0.00	106	106.0	-21	-24.0	17		0	AB		
29	08:55	0.00	0.00	107	106.2	-21	-24.0	18		0	DV		
30	08:35	0.00	0.00	106	106.2	-22	-24.0	17		0	AB		
31	08:50	0.00	0.00	106	106.3	-21	-24.0	17		0	DV		

Northern (Cunningham) WIW #3 12/2023

Weekly Injectate Samples

Kansas Lab Certificate Number E-10146

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	56.40	12/04/2023	7.01	12/04/2023	N/A				
2	58.90	12/12/2023	6.63	12/12/2023	N/A				
3	59.50	12/18/2023	6.63	12/18/2023	N/A				
4	53.20	12/25/2023	6.75	12/25/2023	N/A				
5					N/A				

No monthly injectate samples required.

Northern (Cunningham) WIW #3 12/2023

Quarterly Injectate Samples

Quarter 4
Date Sample Collected 10/03/2023
Kansas Lab Certificate Number E-10146
Lab Name Pace Analytical-Salina

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	2,110.000	mg/l
Chloride	23,200.000	mg/l
Conductivity	77.100	Mmhos
Magnesium	488.000	mg/l
Sodium	15,660.000	mg/l
Sulfate	2,350.000	mg/l
Total Alkalinity as CaCO3	336.000	mg/l
Total Dissolved Solids	54,000.000	mg/l
Total Suspended Solids	40.500	mg/l