Facility Well Name Williams (Conway East) #1 **UIC Permit #** KS-01-113-003 **Month** January **Year** 2024

Submitted 02/14/2024 **Approved** 02/19/2024 **KOLAR Document ID** 1754088

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 30

Barrels per Day Maximum: 23,810

			Annulus Pressure psig min 50		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	4,760	2.96	86	84	-27.9	-25.9	0
Monthly Maximum	7,853	5.45	90	88	-25.0	-22.0	0
Monthly Minimum	0	0.00	81	79	-29.0	-27.0	0
Monthly Total	147,572						0

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
95.80	54.50	-21.80	-27.90

Comments:

Williams (Conway East) #1 01/2024

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Meter Reading	
1	07:12	3,686.76	0.00	83	80.2	-28	-26.5	46	N/A	0	CB	66,136,843.	
2	12:25	6,236.17	4.33	86	85.0	-28	-26.0	46	N/A	0	DF	66,398,762.	
3	08:45	4,300.74	2.98	83	81.0	-28	-27.0	45	N/A	0	DF	66,579,393.	
4	10:45	4,724.83	3.29	85	83.0	-28	-27.0	45	N/A	0	DF	66,777,836.	
5	08:50	4,007.48	2.79	85	83.7	-28	-26.3	46	N/A	0	BS	66,946,150.	
6	10:20	4,664.86	3.24	85	83.1	-28	-26.2	46	N/A	0	BS	67,142,074.	
7	09:15	4,134.55	2.88	84	80.1	-28	-26.3	45	N/A	0	BS	67,315,725.	
8	08:10	4,149.38	2.88	85	82.1	-28	-26.0	45	N/A	0	BS	67,489,999.	
9	03:00	3,612.48	2.50	87	86.0	-28	-24.0	47	N/A	0	SR	67,641,723.	
10	08:00	0.00	0.00	89	86.0	-25	-22.0	47	N/A	0	SR	67,641,723.	
11	09:00	3,445.43	3.10	82	79.0	-28	-25.0	43	N/A	0	SR	67,786,431.	
12	09:15	4,656.24	3.24	81	79.0	-28	-26.0	42	N/A	0	DF	67,981,993.	
13	08:40	4,153.33	2.88	83	80.0	-28	-26.0	42	N/A	0	DF	68,156,433.	
14	08:20	4,265.90	2.95	83	81.0	-29	-27.0	42	N/A	0	DF	68,335,601.	
15	08:10	4,315.93	3.00	84	81.0	-29	-27.0	42	N/A	0	DF	68,516,870.	
16	09:45	4,649.33	3.24	84	81.9	-28	-26.3	42	N/A	0	DM	68,712,142.	
17	09:10	4,252.98	2.95	88	86.6	-28	-26.1	42	N/A	0	BS	68,890,767.	
18	07:45	4,087.36	2.83	88	85.9	-27	-26.1	42	N/A	0	DM	69,062,436.	
19	01:00	5,570.36	3.10	87	85.6	-29	-26.0	41	N/A	0	SR	69,296,391.	
20	02:00	4,394.50	3.10	87	84.9	-29	-26.7	41	N/A	0	SR	69,480,960.	
21	08:00	3,343.76	2.33	88	84.3	-29	-26.4	41	N/A	0	SR	69,621,398.	
22	08:00	4,333.40	3.00	90	87.4	-29	-26.2	41	N/A	0	SR	69,803,401.	
23	09:44	4,970.83	3.45	89	87.8	-27	-25.8	41	N/A	0	CB	70,012,176.	
24	07:58	5,768.93	4.00	89	87.1	-27	-25.8	41	N/A	0	CB	70,254,471.	
25	11:15	7,853.05	5.45	90	88.3	-27	-25.4	41	N/A	0	CB	70,584,299.	
26	07:58	5,946.95	4.12	88	86.7	-27	-25.5	41	N/A	0	DM	70,834,071.	
27	07:38	6,770.02	4.76	87	85.5	-26	-25.7	41	N/A	0	DM	71,118,412.	
28	07:17	6,746.81	4.69	86	84.3	-27	-25.7	40	N/A	0	DM	71,401,778.	
29	07:37	6,911.36	4.76	87	85.6	-28	-25.6	40	N/A	0	DM	71,692,055.	
30	07:30	6,205.81	0.00	90	87.2	-28	-25.7	40	N/A	0	BS	71,952,699.	
31	08:30	5,412.69	0.00	90	87.3	-29	-25.7	40	N/A	0	BS	72,180,032.	

Williams (Conway East) #1 01/2024

Weekly Injectate Samples

Kansas Lab Certificate Number E-10152

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	60.00	01/03/2024	6.78	01/08/2024	3,900.0	01/03/2024	01/08/2024		
2	56.00	01/10/2024	6.81	01/10/2024	3,200.0	01/10/2024	01/12/2024		
3	59.00	01/17/2024	6.62	01/17/2024	3,600.0	01/17/2024	01/26/2024		
4	59.40	01/24/2024	6.94	01/24/2024	3,300.0	01/24/2024	01/26/2024		
5	62.30	01/31/2024	6.54	01/31/2024	3,100.0	01/31/2024	02/01/2024		

No monthly injectate samples required.

Williams (Conway East) #1 01/2024

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 01/01/2024
Kansas Lab Certificate Number E-10152
Lab Name SDK Laboratories (Hutchinson)

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	740.000	mg/l
Conductivity	10.600	Mmhos
Iron	1.540	mg/l
Magnesium	215.000	mg/l
Sulfate	176.000	mg/l
Total Alkalinity as CaCO3	276.000	mg/l
Total Dissolved Solids	6,900.000	mg/l
Total Hardness as CaCO3	2,733.000	mg/l