Facility Well Name CHS Conway #2 **UIC Permit #** KS-01-113-014 **Month** March **Year** 2024

Submitted 04/22/2024 **Approved** 04/24/2024 **KOLAR Document ID** 1773996

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 3

Barrels per Day Maximum: 16,000

			Annulus Pressure psig min 60		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	60	0.04	83	83	2.2	1.3	
Monthly Maximum	929	0.64	93	92	3.0	2.0	
Monthly Minimum	0	0.00	79	79	1.0	0.0	
Monthly Total	1,864						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
92.97	76.92	2.14	0.25

Comments:

CHS Conway #2 03/2024

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings		
1	07:00	0.00	0.00	93	92.3	1	0.0	12			LK		
2	07:00	0.00	0.00	91	90.2	1	0.3	12			SS		
3	07:00	0.00	0.00	90	88.8	1	0.3	12			SS		
4	07:00	0.00	0.00	89	87.0	1	0.3	12			LK		
5	07:00	0.00	0.00	85	84.5	1	0.3	12			LK		
6	07:00	0.00	0.00	83	83.3	1	0.3	12			LK		
7	07:00	0.00	0.00	82	81.9	1	0.3	12			LK		
8	07:00	0.00	0.00	80	80.2	1	0.3	12			LK		
9	07:00	0.00	0.00	79	80.0	1	0.3	12			RB		
10	07:00	0.00	0.00	80	79.0	1	0.3	12			RB		
11	07:00	0.00	0.00	79	79.3	1	0.3	12			DF		
12	07:00	440.67	0.31	80	80.3	3	2.0	12			LK		
13	07:00	928.67	0.64	82	81.6	3	1.9	12			LK		
14	07:00	494.81	0.33	85	84.0	3	2.0	12			LK		
15	07:00	0.00	0.00	84	83.3	3	2.0	12			LK		
16	07:00	0.00	0.00	83	82.5	3	1.9	12			GE		
17	07:00	0.00	0.00	82	82.0	3	1.9	12			GE		
18	07:00	0.00	0.00	84	84.6	3	1.9	12			KJ		
19	07:00	0.00	0.00	84	83.6	3	1.9	12			LK		
20	07:00	0.00	0.00	84	83.7	3	1.9	12			LK		
21	07:00	0.00	0.00	82	81.8	3	1.9	12			LK		
22	07:00	0.00	0.00	82	81.3	3	1.9	12			LK		
23	07:00	0.00	0.00	80	81.2	3	1.9	12			MC		
24	07:00	0.00	0.00	81	81.1	3	1.9	12			MC		
25	07:00	0.00	0.00	80	79.9	3	1.9	12			LK		
26	07:00	0.00	0.00	82	82.0	3	1.9	12			LK		
27	07:00	0.00	0.00	84	84.2	3	1.9	12			LK		
28	07:00	0.00	0.00	84	83.1	3	1.9	12			LK		
29	07:00	0.00	0.00	82	82.2	2	1.9	12			SS		
30	07:00	0.00	0.00	81	80.7	2	1.9	12			SS		
31	07:00	0.00	0.00	81	81.3	3	1.9	12			SS		

CHS Conway #2 03/2024

Weekly Injectate Samples

Kansas Lab Certificate Number E-10116

Week	**Temperature**		**pH**		**Chloride**				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1									
2									
3	52.00	03/12/2024	6.80	03/12/2024	7,320.0	03/12/2024	03/27/2024		
4									
5									

No monthly injectate samples required.

CHS Conway #2 03/2024

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 03/12/2024
Kansas Lab Certificate Number E-10116
Lab Name Pace Analytical-Lenexa

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	1,010.000	mg/l
Conductivity	23.300	Mmhos
Iron	0.081	mg/l
Magnesium	359.000	mg/l
Sulfate	542.000	mg/l
Total Alkalinity as CaCO3	270.000	mg/l
Total Dissolved Solids	15,600.000	mg/l
Total Hardness as CaCO3	4,010.000	mg/l