Facility Well Name Compass #4 **UIC Permit #** KS-01-159-006 **Month** March **Year** 2024

Submitted 04/26/2024 **Approved** 05/02/2024 **KOLAR Document ID** 1775209

Class I-V Injection Well Monthly Monitoring

Summary of Monthly Report

Number of days injection occurred: 31

Barrels per Day Maximum: 20,571

			Annulus Pressure psig min 50		Injection Pressure		
	Injection Volume Barrels per Day	Injection Rate Barrels per Minute	Gauge psig	Cont. Record psig	Gauge psig	Cont. Record psig	Amount Added to Seal Pot
Monthly Average	11,944	8.32	71	70	-24.0	-25.6	
Monthly Maximum	12,071	8.38	74	72	-24.0	-25.0	
Monthly Minimum	11,460	8.26	69	67	-25.0	-26.0	
Monthly Total	370,271						

Summary of Continuous Recorder Data

Maximum Annulus Pressure psig	Minimum Annulus Pressure psig	Maximum Injection Pressure psig	Minimum Injection Pressure psig
73.70	65.70	-23.80	-26.40

Comments:

Compass #4 03/2024

Daily Recorder Data

Day	Time 24 hr	Injection Volume Barrels Per Day	Injection Rate Barrels Per Minute	Annulus Pressure (Gauge) psig	Annulus Pressure (Continuous Recorder) psig	Injection Pressure (Gauge) + / -	Injection Pressure (Continuous Recorder) + / -	Seal Pot Fluid Level inches	Type of Fluid Added to Seal Pot	Amount of Fluid Added to Seal Pot gallons	Initials of Collector of Field Recordings	Conductivity Mmhos	
1	07:34	11,875.12	8.29	70	68.7	-24	-25.6	4			JB	2,683.00	
2	09:56	11,898.14	8.29	70	68.8	-24	-25.5	4			JB	2,685.00	
3	06:53	11,946.81	8.33	72	70.8	-24	-25.2	4			JB	2,686.00	
4	05:24	12,003.81	8.33	74	72.0	-24	-25.2	4			JB	2,674.00	
5	06:45	11,992.12	8.31	71	70.4	-24	-25.6	4			JB	2,691.00	
6	07:36	12,003.45	8.36	72	70.0	-24	-25.7	4			BO	2,688.00	
7	08:54	11,970.64	8.31	72	70.3	-24	-25.4	4			BO	2,686.00	
8	08:28	11,953.93	8.33	71	69.7	-24	-25.7	4			BO	2,688.00	
9	07:51	11,949.90	8.33	70	68.3	-25	-25.9	4			BM	2,684.00	
10	08:11	11,459.88	8.33	70	69.1	-24	-25.8	4			BO	2,697.00	
11	07:30	11,984.07	8.33	70	69.8	-24	-25.7	4			BO	2,677.00	
12	07:55	11,959.05	8.31	71	70.2	-24	-25.4	4			BO	2,674.00	
13	06:48	12,011.24	8.33	73	71.0	-24	-25.3	4			JB	2,701.00	
14	06:21	11,986.64	8.33	73	71.4	-24	-25.3	4			JB	2,683.00	
15	09:12	11,918.07	8.33	70	69.9	-24	-25.9	4			JB	2,667.00	
16	10:50	12,015.60	8.31	71	70.1	-24	-25.7	4			JB	2,702.00	
17	06:58	11,892.14	8.36	71	70.4	-24	-25.7	4			JB	2,660.00	
18	09:40	12,070.62	8.29	70	68.5	-24	-26.0	4			JB	2,683.00	
19	06:32	12,021.90	8.36	70	69.1	-24	-25.6	4			JB	2,683.00	
20	08:00	12,026.93	8.38	71	70.2	-24	-25.5	4			BO	2,672.00	
21	08:15	12,017.67	8.38	70	69.5	-24	-25.6	4			BO	2,666.00	
22	07:59	12,014.45	8.36	71	70.6	-24	-25.5	4			BO	2,656.00	
23	08:20	11,968.31	8.36	70	68.6	-24	-25.8	4			BO	2,683.00	
24	07:56	11,961.26	8.31	70	68.6	-24	-25.2	4			BO	2,663.00	
25	08:22	11,880.71	8.31	70	69.2	-24	-25.0	4			BO	2,673.00	
26	08:08	11,877.38	8.26	69	67.3	-24	-25.5	4			BO	2,686.00	
27	06:27	11,906.55	8.26	70	67.1	-24	-25.8	4			JB	2,692.00	
28	06:25	11,802.10	8.29	70	67.2	-24	-25.8	4			JB	2,689.00	
29	06:23	11,921.31	8.29	70	68.7	-24	-25.4	4			JB	2,677.00	
30	13:51	11,967.31	8.33	71	69.6	-24	-25.5	4			JB	2,674.00	
31	06:27	12,013.76	8.36	71	70.1	-24	-25.3	4			JB	2,656.00	

Compass #4 03/2024

Weekly Injectate Samples

Kansas Lab Certificate Number E-30320

Week	Temperature		pH		Chloride				
	Degrees Fahrenheit	Date	Standard Units	Date	Cl concentration (mg/l)	Date Sample Collected	Date Sampl Analysed		
1	58.60	03/03/2024	7.29	03/03/2024	581.0	03/03/2024	03/03/2024		
2	57.20	03/10/2024	7.17	03/10/2024	592.0	03/10/2024	03/10/2024		
3	58.60	03/17/2024	6.88	03/17/2024	578.0	03/17/2024	03/17/2024		
4	58.40	03/24/2024	7.22	03/24/2024	581.0	03/24/2024	03/24/2024		
5	59.30	03/31/2024	7.15	03/31/2024	602.0	03/31/2024	03/31/2024		

No monthly injectate samples required.

Compass #4 03/2024

Quarterly Injectate Samples

Quarter 1
Date Sample Collected 02/19/2024
Kansas Lab Certificate Number E-10116
Lab Name Pace Analytical-Lenexa

These samples shall be representative of injection activity and shall therefore be collected on days of injection.

Constituent	Value	Units
Calcium	165.000	mg/l
Iron	<0.050	mg/l
Magnesium	20.800	mg/l
Sulfate	123.000	mg/l
Total Alkalinity as CaCO3	267.000	mg/l
Total Dissolved Solids	1,100.000	mg/l
Total Hardness as CaCO3	498.000	mg/l