KOLAR Document ID: 1656405

Confiden	tiality Requ	ested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

	-	-	-	-		
WELL HISTORY -	·D	ESCRIPTION	N OF V	VELL a	& L	EASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:
Gas DH EOR	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY										
Confidentiality Requested										
Date:										
Confidential Release Date:										
Wireline Log Received Drill Stem Tests Received										
Geologist Report / Mud Logs Received										
UIC Distribution										
ALT I II III Approved by: Date:										

KOLAR Document ID: 1656405

Operator Nam	ne:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Perforate Protect Casing		Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water Bbls. Gas-Oil Ratio				
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	nit ACO-4)	юр	Bollom
(If vented, Submit ACO-18.) Shots Per Perforation Pe		ation	Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	JOHNSON, D 20
Doc ID	1656405

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	24	20	Portland	7	None
Production	6.75	4.5	11.60	960	Thick Set OWC		2#/sx Phenoseal

810 E 7TH PO Box 92 **EUREKA, KS 67045** (620) 583-5561



	Cement or A	cid Field Report
	Ticket No.	6479
1000	Foreman 🔏	EVIN MECOY
-	Camp Eure	

Date	Cust. ID #	Leas	se & Well Number	r I	Section	Township	Range	County	1 01-1
5-27-22	1003	Johnson	, # 20			Township	Range	Allen	State
Customer	141987-9475-017	ាណន និ លោកចំព័រទា	e het destat delle e	Safety	Unit #	L Dri	ver I	and the second	
Colt	ENERgy	INC.		Meeting	104	Alan		Unit #	Driver
Mailing Address	111	VICE VICE	ns electo encon	KM	110	Steve		Ser the Seamer	112.71
P.O. 1	Box 388			AM	ino cituar	0/000		Laborate Process	Calof 200nes
City Tola	fi pairtusen p	State	Zip Code		<u></u>		inter sont y	Lo Malaria n	hatesp erh
		Ks	66749	I					<u>na 10 aug 50.</u>
Job Type Casing Depth Casing Size & V Displacement	759.50' Vt. <u>41/2" 11.</u> 15 BbL	Hole Siz	$\begin{array}{c} 99.5 \\ 63/4 \\ \end{array}$		Slurry Vol. 3 Slurry Wt. 4 Nater Gal/SK Bump Plug to	1200 PSI	Dr Ot	bing ill Pipe her PM	n order og Denerge var Denerge
Sks Hulls	= 23 Bbb	ting: RI	qup to 4.	1/2 CASING	BREAK	CIRCU IAtio	on w/ 4	100 *Gel Fin	sh ed/2
	- ///////	DEAL ISK (a	13.8 19AI	VIOID 1.	66 - 27 8	h CL. DA.	1.0-1	101	1 1 1 1 1 1 1 1 1 1 1 1
500 RSI. 7	Sump Plug	to 1200 PSI	WAIt 2	Duns Pal	15 BbL 7	Resh WAT	ee. fin	AL PUMPING	PRESSUR
Job Comp	ent Retur	ens to SUA	FACE = 8	BUL STURA	y to Pit.	ANNUL	s StAN	Shut ING (ding full of	F CEMENT

Job Complete. Rig down.

Code	Qty or Units	Description of Product or Services	1	
C 102	1	Pump Charge	Unit Price	Total
C /07	50	Mileage	Co De Centeron	
201	125 sks 250 *	THICK SET CEMENT		
208	250 *	THICK SET CEMENT Pheno Seal 2*/st	n namena og no	
108 A	6.87 TONS	Ton Mileage 50 miles	e of Europe Barrace and B	
206	400 # 80 *	Gel Flush	ice barrage he sole will u	
: 214	80*	Hulls	e or a clara o	
: 403	1	41/2 Top Rubber Plug	1	
			- Place exit to be	
		indiard <u>braces of annowing outplications</u>		
200012 101	et in artis et e	interest the contacted action with the solution of the solutio	Marine Carl	
		THANK You		
108.801	tion By Wes		7.75%	

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

					Colt Ene	ergy Driller's	Log							
Lease: Johnson, D Well No. 20 Well Locati		ition: 1694'	tion: 1694' FSL & 775' FWL Se			Twp. 24S			Rng. 18E		18E			
API #: 15-0	001-31723		Type: Oil		County: Al	len		State: KS	Spud Da	te:	5/19/22	Tota	l Dep	th: 995'
Driller: De	vin Bernsti	n	Surface Ca	asing		Bit Re	cord				Coring	Reco	rd	
Crew: Dan	i Foust		Bit Size:	11.25"	Туре	Size	Start	End	Core #		Size	Sta	art	End
			Casing Size:	8.675"	PDC	11.25"	0	20'	1					
Start Rig H	rs: 20882		Casing Length:	20'	PDC	6.75"	20'	995'	2					
End Rig Hrs	s: 20899		Cement used:	7 Sx					3					
Total Rig H	rs: 17		Cement Type:	Portland					4					
From	То		Formation		From	То		Formation				Pipe 1	Гally	
0	20	Overburg	len/clay							1	40.75	5	19	42.45
20	164	Limeston	e							2	42.50)	20	38.25
164	170	Shale									42.85	5	21	42.60
170	295	Limeston	е							4	42.50)	22	38.80
295	490	Shale					!			5	42.15	5	23	41.90
490	500	Limeston	e					6 41.			41.15	5	24	
500	560	Shale								7	42.60)	25	
560	610	Shale wit	h limestone breal	٢S						8	38.20)	26	
610	640	Limeston	e							9	42.40)	27	
640	885	Shale								10	39.00)	28	
885	995	Sandston	е							11	40.10)	29	
										12	41.95	5	30	
										13	45.30)	31	
										14	41.50)	32	
										15	40.20)	33	
										16	43.85	5	34	
										17	41.90)	35	
										18	42.60)	36	
										955.	5'+4' cmt	shoe	= 959	.5'